



ViMP 3.5

Administration Guide

Author:
ViMP GmbH

Table of Contents

ViMP Administration Panel	6
Default users	6
Enter the Administration panel	6
Filter Options	7
Changing the default passwords	8
Configuration Presets	9
Modules.....	10
Media.....	10
Media index.....	10
Irrevocable deletion of media	11
Media Information	12
Edit a medium	13
User	15
User Index.....	15
Irrevocable deletion of users.....	16
User Information	17
Edit a user	17
Groups	19
Group index.....	19
Group information.....	20
Edit a group	20
Channels (module required).....	22
Channel index	22
Channel information.....	23
Edit a channel	23
Manage Channel Users.....	25
Blogs	26
Blog index	26
Blog information.....	27
Edit a blog.....	27
Forum (module required).....	29
Forum index.....	29
Forum information	30

Edit a forum	30
Thread index.....	31
Slide Show (Start Page Slider)	32
Slide show overview	32
Creating a slide	32
Add/Edit a slide	33
Pages	34
Pages index.....	34
Page information	35
Add/Edit a page	35
Add new pages to the template	36
Categories.....	37
Categories index	37
Category information	38
Edit a category	38
Newsletters (module required)	40
Newsletter index	40
Newsletter information	41
Edit a newsletter	41
Newsletter issue index	41
Newsletter issue information.....	42
Edit/add a newsletter issue	43
Newsletter subscriptions index	44
Video on Demand (module required)	45
Transaction index	45
Subscription index	46
Ordered subscription index.....	47
User	48
Media.....	49
Channels	49
Livestreams.....	49
Livestreams (module required)	51
Livestream index	51
Livestream information	52
Edit a livestream	52

Manage Livestream Users	54
Media Import (Batch Import) (module required)	55
Description of XML-Nodes.....	57
Statistics	59
Translations	60
Mail templates.....	61
Edit mail template	61
User field configuration.....	62
Add/edit user field.....	62
Profile field settings.....	64
Menus.....	65
Menu items index.....	65
Add/edit menu item	65
Menu sub items index	67
API	68
API-Keys.....	68
Add/edit an API key	68
ViMP Configuration	70
Basic settings	71
Portal settings.....	71
Template settings	72
WebTV settings (module required)	73
Media settings	73
User settings.....	75
Blogs	76
Pages settings.....	76
Slider settings	77
Component settings	78
Paging settings.....	79
Activities settings.....	83
Albums settings (module required).....	83
Flash player settings	84
Flash player embed settings.....	85
Flash player livestream settings	85
Flash player WebTV settings (module required).....	86

HTML5 player settings.....	86
HTML5 player subtitle settings (all editions, except ViMP Community).....	88
Streaming settings.....	88
Livestream settings.....	88
VAST settings (all editions, except ViMP Community edition).....	89
Acudeo settings (all editions, except ViMP Community edition).....	90
Advertisement settings (all editions, except ViMP Community edition)	90
Transcoder settings	92
Transcoding OpenSource settings.....	92
Transcoding Service settings (module required).....	93
Upload settings.....	93
Vimeo Import settings (module required)	93
Youtube Import settings (module required)	94
E-mail settings	94
Newsletters settings (module required)	94
Facebook Connect settings (module required).....	95
Facebook Like settings (Classic template only)	95
Facebook Comments settings	95
Google Maps settings (module required)	96
Google Analytics settings	96
Google +1 settings (Classic template only)	96
Twitter Share settings (Classic template only)	97
Tag cloud settings.....	97
Captcha settings	97
captchaGD settings.....	97
reCaptcha settings.....	97
API settings (ViMP Enterprise and ViMP Enterprise Ultimate edition).....	98
Batch Import (module required)	98
Payment settings (module required)	100
Payment Paypal settings (module required).....	101
Presets settings	101

ViMP Administration Panel

This guide will give a short introduction to the administration panel of ViMP 3.5 and explains important functions.

Default users

During installation ViMP creates three default users:

Username: user	Password: user
Username: moderator	Password: moderator
Username: admin	Password: admin

Only the 'admin' user has permission to enter the administration panel.

Enter the Administration panel

To enter the administration panel from the frontend you need to be logged in as an administrator. To login use the link "Login" on the top right of your ViMP website. Being logged in click the administration icon (resp. the "Administration" link in "Classic" template) to enter the admin panel.



Image 1: Link to admin panel

Alternatively you can also log in to the backend via direct URL

(<http://www.YourDomain.com/backend.php>, replace *www.YourDomain.com* with your actual Domain where ViMP has been installed).

The admin panel opens up in the following view:




Image 2: Admin Panel main view

By clicking the ViMP logo you always return to the admin panel main page.

By clicking the portal name (here: “ViMP 2”) or the “Frontend” link you will be led to the frontend portal main page.



Image 3: Return to main page or to admin panel main page

Besides, in the upper right corner find links to the global configuration, menu editor, mail templates, user field configuration, presets, translation tool, activities log, system log, logout and language selector.




Image 4: Top links

Filter Options

On the top right corner of each table, several filter options can be set to adjust the current view.




Image 5: Filter options

- **Search**
Find data records by using the search form.
- **Items per page**
The “items per page” setting limits the displayed results to 10, 25, 50 or 100 shown items.
- **Items**
“Items” displays the currently shown item number in relation to the number of all items in the filtered or unfiltered selection.
- **Pages**
By using the arrows or the page numbers the filtered results can be browsed.
- **Sorting**
The above image shows two little arrows next to “Registered since”. By clicking the headline the filtered or unfiltered results are sorted ascending or descending alternately.
- **Filter box**
By clicking the “Filter” link the filter box opens with further filter settings for the current list view:

Image 6: Filter box

Changing the default passwords

At first, please change the given default passwords of the above mentioned users.

Therefore navigate to the user management by clicking the “User” link in the left navigation bar. Then click the context menu item “Set user password” that appears while moving the mouse pointer over the data record.




Image 7: Admin Panel – “Set user password” link

In the next step change the user’s password:

Image 8: Admin Panel – “Set user password” link

If you don’t need the default users, you can also delete them by click the according link in the context menu.

Important: Never delete the ‘admin’ user as long as you didn’t create another user with admin permissions. Otherwise you will not be able to log in to the admin panel anymore!

Configuration Presets

In order to make the initial setup procedure easier you can use the opportunity to choose from different pre-defined presets.

At the first call of your ViMP platform you will be prompted to go to the preset selection:




Image 9: Preset information

By clicking “View presets” – or by clicking



in the top navigation at any time – the presets selection opens.

You can choose from different configurations for different platform approaches.

Select the one that fits most to your project in order to build up your platform setup with it.

By selecting a preset your current configuration will be saved automatically. So you can switch back easily.

In addition you can save your current configuration at any time manually by clicking the according menu item.




Image 10: Preset selection

Modules

The vertical navigation bar offers all functions to manage ViMP. By clicking one of the links, the selected module management opens.




Image 11: Navigation Task Bar

This chapter explains the different modules.

Media

Within the “Media” tab all media that has ever been uploaded to the portal is listed, sorted by “Uploaded at” by default.

Media index

The table contains the following item information:

- **Type**
“Type” displays the media type of each item.
- **Subtype**
Media types can contain subtypes, like e.g. “Youtube” for videos.
- **Thumbnail**
The thumbnail of the medium. A click leads to the medium detail page.
- **Title**
“Title” displays the title of the medium.
- **Users**
“Users” displays the user who has uploaded the medium. By clicking on the user’s name the user information page opens up.
- **Uploaded at**
“Uploaded at” displays the date when the medium was uploaded.
- **Views**
Displays the number of media views.
- **Comments**
“Comments” displays the number of comments which have been added to a medium.

- **Messages**
Number of messages sent with the “Report medium” function of the frontend.
- **Featured**
Indicates, if the medium is marked as “featured”.
- **Hidden**
Indicates, if the medium is marked as “hidden”.
- **Status**
The status of the media (uploaded, converting, error, verify, illegal, legal, blocked, deleted, recode).

By moving the mouse over a medium in the media index a media context sub menu appears:

☐	Type	Sub-Type	Thumbnail	Title	Users	Uploaded at	Views	Comments	Messages	Featured	Hidden	Status
☐	Video	Vimeo		Adventure Is Calling	Jeremy	November 19, 2013 10:27:10 AM CET	2	0	0	Yes	No	legal
	Edit	Lock	Restart transcoding	Transcode new formats	Comments	Messages	Recalculate statistics	Delete				


Image 12: Media index

- **Edit**
Clicking on “Edit” opens up the “Edit medium” page. You can modify the medium settings there.
- **<Status change>**
Depending on the current status of the medium the status can be changed (e.g. “Lock”).
- **Restart transcoding**
Clicking “Restart transcoding” repeats the transcoding process for this medium in all defined formats.
- **Transcode new formats**
Clicking “Transcode new formats” only transcodes in new formats if you changed the selection in the transcoder configuration.
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected medium.
- **Comments**
Opens the list of comments of the according medium.
- **Messages**
Opens the list of messages of the according medium.
- **Delete**
Clicking “Delete” marks the medium as deleted. Actually the medium remains on the server and can still be viewed in the admin panel, but is no more accessible within the frontend portal.

Irrevocable deletion of media

By activating the status filter “deleted” all media that have been marked as deleted (and thus aren’t available in the portal any more) will be listed.

They can be deleted irrevocable (complete deletion from the database and file system) by clicking the “Purge” link in the context menu of the according medium.



Filters

Type:

Sub-Type:

Featured:

Hidden:


Status:

[Filter](#) [Reset](#)

You can also delete several or all deleted media by checking the media checkboxes and then executing the according batch action. Note that the batch action “Purge” only works within the filter “deleted” respectively only for media with the status “deleted”.

Media Information

Clicking on a thumbnail of a medium or its title the media information view opens.



Medium: Impressive Ocean

ID	279
Key	5a2890831254d45f6571e027104e1f0b
Hash	
Title	Impressive Ocean
Type	Video
Sub-Type	default
User	admin
Original Filename	Ocean.mp4
Status	legal
Uploaded at	July 24, 2015
Featured	No
Hidden	No
Secret	No
Description	Lorem ipsum dolor amet Lorem ipsum dolor amet
Transcoder	Transcoding (Open Source)
Categories	- Travel - Science - Animals
Properties	- source-width: 960 - source-height: 400 - source-duration: 47 - source-filesize: 23014356 - source-orientation: 0 - width: 720 - height: 300 - duration: 47 - filesize: 7831156 - orientation: 0

Statistics

0 Comments	0 Channels
3 Categories	1 Tags
0 Groups	

[Edit](#)

Image 13: Media information view

This view displays all information that has been added to the medium as well as a medium preview and some basic statistics.

Clicking the “Edit” button in the lower left corner leads directly to the “Edit media” page.

Edit a medium

In this view all settings of a medium can be modified.

Main information




Image 14: Media – Main information

Within the main information fields you can modify the title of the medium or change the owner (user) of the medium.

Furthermore you can edit the tags.

The medium can also be defined as a featured medium or be hidden for not being available in the portal for others than the owner ("private" status).

In addition it can be made accessible to others with a special link by activating the "Secret" option.

Thumbnail



Image 15: Media – Thumbnail

You can also upload a new thumbnail (not available for media type "Image").

Hit the "Browse" button and select the new image.

Description




Image 16: Media – Description

The description entered here is displayed in the media overview of the portal and in the info display within the ViMP media player.

Categories





Image 17: Media – Categories

Add or remove categories that the medium shall be related to.

At least one category has to be selected.

Meta data




The screenshot shows a form titled "meta data". It contains the following fields: "Title", "Description", "keywords", "author", and "copyright". Each field is represented by a text input box.

Image 18: Media – Meta data

Optionally you can enter individual meta data to each medium.

The meta data will not appear on the portal page, but is only visible within the HTML source code and will be read by the search engines.

Pricing data



The screenshot shows a form titled "Price". It contains a section "With costs" with two radio buttons: "Yes" (selected) and "No". Below this is a label "Price for this medium (credits)" and a text input field containing the value "1.00".

Image 19: Media – Pricing data

If the Video on Demand module is enabled, you can enter a price for the medium in the last box.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

User

Within the “User” tab all registered users of the portal are listed, sorted by registration date.

User Index

The table contains the following user information:

- **Avatar**
Every user can upload an avatar.
- **Users**
Every user can choose its own favored username.
- **E-mail address**
“E-mail” contains the e-mail addresses of the users
- **Birthday**
The user’s birthday.
- **FB User** (requires Facebook Connect module)
Displays, whether the user registered via Facebook Connect or not.
- **Views**
The number of views of the user’s profile.
- **Comments**
The number of comments which have been added to the user’s profile.
- **Messages**
Number of messages sent with the “Report user” function of the frontend.
- **Registered since**
The date when the user registered to the portal.
- **Status**
The status of the user account (validate, verify, registered, blocked, deleted).

By moving the mouse over a row in the user index a user context sub menu appears:

	Avatar	Users	E-mail address	Birthday	FB User	Views	Comments	Messages	Registered since ↑	Status
☐		admin	admin@vimp.com	November 19, 2013 05:26:09 PM CET	No	3544	0	0	January 26, 2009 04:12:51 PM CET	registered
	Edit	Lock	Recalculate statistics	Set user password	Comments	Messages	Delete			

Image 20: User index

- **Edit**
Clicking on “Edit” opens up the “Edit User” page. The settings of the user can be modified here.
- **<Status change>**
Depending on the current status of the medium the status can be changed (e.g. “Lock”).
- **Resend Validation E-Mail**
If the status of a user is “validate” the validation e-mail can be resend here on request.
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected user.

- **Set password**

The user's password can be changed here by the administrator. The form looks as follows:




Image 21: Set user password

- **Confirm e-mail address**

As an administrator you can verify a user's e-mail address manually here. The user's status will be set to "registered" and a confirmation e-mail will be sent to the user.

- **Comments**

Opens the list of comments of the according user.

- **Messages**

Opens the list of messages of the according user.

- **Delete**


Clicking "Delete" marks the user as deleted from the portal. Actually the user remains on the system and can still be accessed within the admin panel, but is no more active in the frontend portal.

- **FB to Normal User**

Clicking this link migrates an user that has been registered via Facebook Connect (module required) to a regular ViMP user.

Irrevocable deletion of users

By activating the status filter "deleted" all users that have been marked as deleted (and thus aren't active in the portal any more) will be listed.



They can be deleted irrevocable (complete deletion from the database) by clicking the "Purge" link in the context menu of the according user.

You can also delete several or all deleted users by checking the user checkboxes and then executing the according batch action. Note that the batch action "Purge" only works within the filter "deleted" respectively only for users with the status "deleted".

User Information

By clicking either a user's avatar or the user name, the user information view opens.




Image 22: User information view


This view displays all information about the user. Its avatar and its statistics are shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit user” page.

Edit a user

In this view all user settings can be modified.

Main information




The 'Main information' section contains the following fields:

- User name:** admin
- Language:** English
- Hidden:** Radio buttons for Yes and No, with 'No' selected.

Image 23: User – Main information

Within the main information the user name can be modified, the language can be changed and the user's profile can be hidden within the frontend portal.

Avatar image



The 'Avatar image' section contains the following elements:

- Avatar image:** A text input field with a 'Durchsuche' (Search) button next to it.
- Avatar delete:** A checkbox.
- Current Avatar:** A small thumbnail image of a dog.

Image 24: User – Avatar image

Additionally the avatar image can be changed.

To do so click the “Browse” button and select a new image.

General information

General information

Gender: Male

Birthday: 1970 - January - 01

Image 25: User – General information

The administrator can also modify the user's general information, like gender and date of birth.

Contact data

Contact data

Last Name: Admin

First name: Administrator

E-mail: admin@example.com

City:

Country: Afghanistan

Image 26: User – Contact data

Furthermore the user's contact data can be set. Name, e-mail, city and country can be entered or selected from a drop down list.

Description

About me

Image 27: User – About me

The information entered in the “About me” field is displayed within the user information and can be entered by the user in its profile.

User roles

User roles

administrator

moderator

user

Save Cancel

Image 28: User – User roles

Last but not least you can modify the user role. By default there are three available user roles: administrator, moderator and user.

Administrators have full permissions and can edit all data in the frontend or backend.

Moderators have full permissions to the frontend but not to the backend.

Users are standard users who may only edit their own data within the frontend.

Users can be assigned to multiple user roles at a time. There are no hierarchical dependencies among the user roles.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Groups

Within the “Groups” tab all groups of the portal are listed. They can be managed as described in the following.

Group index

The table contains the following group information:

- **Image**
Each group needs an image analogue to a user avatar.
- **Title**
The name of the group.
- **Founder**
The user who founded the group and moderates it.
- **Created at**
The creation date of the group.
- **Status**
The status of the groups (created, verify, illegal, legal, deleted).

By moving the mouse over a group name in the list a group context sub menu appears:

☐	Image	Title	Founder	Members	Media	Created at ↑	Status
☐		Test Group	producer	4	2	September 20, 2013 09:09:05 PM CEST	legal
	Edit Lock Recalculate statistics Members Media Delete						

Image 29: Group index

- **Edit**
Clicking on “Edit” opens up the “Edit Group” page. Modify the settings of the group here.
- **<Status change>**
Depending on the current status of the group the status can be changed (e.g. “Lock”).
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected group.
- **Members**
Clicking “Members” lists all group members.
- **Media**
Clicking “Media” lists all media that is assigned to the group.
- **Delete**
Clicking “Delete” marks the group as deleted from the portal. Actually the group remains on the system and can still be managed within the admin panel, but isn’t available within the portal any more.

Group information

By clicking either the thumbnail of a group or its title the group information view opens.



Image 30: Group information view

This view displays all information about the group and its avatar in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit group” page.

Edit a group

In this view all settings of the group can be modified.

Main information



The 'Main information' form contains the following fields and options:

- Title:** A text input field containing 'My Group'.
- User:** A text input field containing 'admin'.
- Language:** A dropdown menu showing 'English'.
- Featured:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Hidden:** Radio buttons for 'Yes' and 'No', with 'No' selected.

Image 31: Group – Main information

Within the main information form the group name can be modified, the owner can be changed and the language can be chosen.

Besides that, the group can be defined as a featured group and can be hidden (status “private”).

Image



The 'Image' section shows a preview of the current group image (a colorful abstract pattern) and a text input field for a new image name. To the right of the input field is a button labeled 'Durchsuche' (Search).

Image 32: Group – Image

Change the group image here.

To change the group image, click the “Browse” button and select the new image.

Description

Description

<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque venenatis dignissim condimentum. In arcu purus, dictum pulvinar eges sed, porttitor vel tellus. Fusce imperdiet luctus ligula id sodales. Nullam erat, feugiat nec vestibulum consequat, laoreet eget quam. Curabitur diam gravida ipsum luctus venenatis. Suspendisse enim orci, accums rutrum id, condimentum congue tellus. Ut ut libero sapien. Proin a ultric mi. Phasellus feugiat odio eget quam adipiscing scelerisque. Integer

Save

Cancel

Enter the group description here.

This text is shown in the group overview.

Image 33: Group – Description

After all changes have been done they can be saved by clicking the “Save” button. To discard them hit the “Cancel” button.

Channels (module required)

Within the “Channels” tab all channels of the portal are listed, sorted by creation date.

Channel index

The table contains the following channel information:

- **Image**
The channel image displayed on the channel overview and channel detail page.
- **Menu Image**
The channel thumbnail displayed in the vertical navigation bar on the start page and the channel overview page.
- **Title**
The name of the channel.
- **User**
The founder and moderator of the channel.
- **Users**
Number of channel subscribers.
- **Media**
Number of channel media.
- **Weight**
Each channel can be weighted to present its significance and the order it will appear in the portal.
- **Created at**
The creation date of the channel.
- **Status**
The status of the channels (created, verify, illegal, legal, deleted).

By moving the mouse over a channel name in the list a channel context sub menu appears:

☐	Image	Menu image	Title	User	Users	Media	Weight	Created at ↑	Status
☐			Test-Channel 15	admin	1	6	0	June 22, 2012 12:52:41 AM CEST	legal
	Edit	Lock	Recalculate statistics	Users	Media	Delete			

Image 34: Channel index

- **Edit**
Clicking on “Edit” opens up the “Edit Channel” page. Modify the settings of a channel here.
- **<Status change>**
Depending on the current status of the channel the status can be changed (e.g. “Lock”).
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected channel.
- **Users**
Clicking “User” lists all channel users.
- **Media**
Clicking “Media” lists all media of the channel.

- **Delete**

Clicking “Delete” marks the channel as deleted from the portal. Actually the channel remains on the system and can still be managed in the admin panel, but is no more accessible in the portal.

Channel information

Clicking either the thumbnail of a channel or its title the channel information view opens.




Image 35: Channel information view

In this view all information about the channel and its image are shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit channel” page.

Edit a channel

In this view all settings of a channel can be modified.


Language



Image 36: Channel – Language selection

First, select the language record to be edited.

Main information



The screenshot shows the 'Main information' form for a channel. It contains the following fields and options:

- Name:** A text input field containing 'Transcoding Channel'.
- User:** A text input field containing 'admin'.
- Weight:** A text input field containing '0'.
- Hidden:** Two radio buttons, 'Yes' and 'No', with 'No' selected.
- Verify:** Two radio buttons, 'Yes' and 'No', with 'Yes' selected.

Image 37: Channel – Main information

Within the main information form the channel title can be modified, the owner can be changed and a weighting (sorting) can be defined.

Furthermore, it can be defined, if the channel shall be hidden and if new subscribers have to be verified by an administrator.

Background Image



Image 38: Channel – Background image

Change the background image here. The Background image is larger than the default channel image. It is displayed within the channel.

Menu Image



Image 39: Channel – Menu image

Change the menu image here.

To choose another image, click the “Browse” button and choose the new image.

Description




Image 40: Channel – Description

Enter the description here.

This text is shown in the channel overview.

Categories




Image 41: Channel – Categories

Each channel can be assigned to one or several categories optionally.

Pricing data




Image 42: Channel – Pricing

If the Video on Demand module is enabled, you can enter a price for the channel in the last box.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Manage Channel Users

By clicking the context menu link “Users”, you reach the user management index of the according channel.




Image 43: Manage Channel Users

Here you can edit, delete or – if activated – verify subscribers.

By editing a user you can switch the users role (Channel User (=subscriber), Channel Moderator, Channel Administrator).

Blogs

Within the “Blog” tab all blogs of the portal are listed, sorted by creation date.

Blog index

The table contains the following information:

- **Title**
The name of the blog entry.
- **Blogger**
The user who created the blog entry.
- **Approval comment**
Lists the approval comments of the blog entry.
- **Created at**
The creation date of the blog entry.
- **Status**
The status of the blog entry (created, verify, illegal, legal, deleted).

By moving the mouse over a blog title in the list in the blog index a blog context sub menu appears:

☐	Title	Blogger	Approval comment	Created at ↓	Status
☐	A Number Of Worthwhile Concepts -- No-Nonsense Strategies In Motorbike	SeanFinney		August 5, 2013 11:39:38 PM CEST	legal
	Edit Lock Recalculate statistics Comments Delete				

Image 44: Blog index

- **Edit**
Clicking on “Edit” opens up the “Edit Blog” page. Modify the blog entry settings here.
- **<Status change>**
Depending on the current status of the blog the status can be changed (e.g. “Lock”).
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected blog.
- **Comments**
Clicking “Comments” lists all comments of a blog entry.
- **Delete**
Clicking “Delete” marks the blog entry as deleted from the portal. Actually the blog entry remains on the system and can still be managed in the admin panel, but is no more accessible in the portal.

Blog information

By clicking the title of a blog the blog information view opens.




Image 45: Blog information view

In this view all information about the blog is shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit blog” page.

Edit a blog

In this view all settings of a blog can be modified.

Main information

Title	Lorem ipsum dolor sit amet, consetetur sadipscing elitr
User	admin

Within the main information form the blog name can be modified and the owner can be changed.

Image 46: Blog – Main information


Teaser

Teaser	<input #"="" type="text" value="If the ride hasn't taken your breath away, the 360-degree view from the top of Hogback Mountain certainly will. There have been several bomb blasts and attacks in recent weeks that Williams has made headlines with his bad behavior. Suzuki GSXR In a separate incident in western India, reported by the Press Trust of India PTI, police arrested a 32-year-old man Saturday for allegedly abducting, raping and killing a nine-year-old girl. Voice artists are"/>
---------------	---

Modify the blog teaser next.

Image 47: Blog – Teaser

Text



Text

Vestibulum et lectus vitae felis molestie luctus a eget lacus. Nullam molestie placerat lorem, eget hendrerit nulla gravida a. Aliquam sapien urna, tincidunt a dignissim a, dapibus vitae nibh. Donec elementum diam non magna venenatis semper. Mauris vel massa massa. Phasellus auctor, arcu in congue commodo, eros libero vulputate augue, sit amet aliquam elit augue nec tortor. Cras placerat orci sollicitudin nunc lacinia sed interdum mi tincidunt. Suspendisse potenti. Fusce blandit felis nec orci orci orci orci. Vestibulum fincilla tempus.

Save **Cancel**

Modify the blog text in the last box.

Image 48: Blog – Text

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Forum (module required)

Within the “Forum” tab the built-in forum can be managed.

Forum index

The table contains the following information:

- **Type**
The table contains public and group forums, the belonging is displayed in the “type” column.
- **Title**
The title of the forum.
- **Created at**
The creation date of the forum.
- **Status**
The status of the forum (created, verify, illegal, legal, deleted).

By moving the mouse over a forum entry in the list a forum context sub menu appears:

☐	Type	Title	Created at	Status
☐	Forum	Media Framework Fans	March 31, 2011 2:56:24 PM CEST	legal
	Edit Lock Threads Recalculate statistics Delete			

Image 49: Forum index

- **Edit**
Clicking on “Edit” opens up the “Edit Forum” page. Modify the settings of the forum here.
- **<Status change>**
Depending on the current status of the forum the status can be changed (e.g. “Lock”).
- **Threads**
Clicking on “Threads” opens up the “Thread index” page where all threads of this forum are listed.
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected forum.
- **Delete**
Clicking on “Delete” marks the forum as deleted from the portal. Actually it remains on the system and can still be managed in the admin panel, but is no more accessible in the portal.

Forum information

By clicking a forum title the forum information view opens.



Image 50: Forum information view

In this view all information about the forum is shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit forum” page.

Edit a forum

In this view all settings of forum can be modified.

Main information




Image 51: Forum – Main information

You can edit the title, type and group of a forum here.

“Type” defines if it is a public or a group forum.

If the forum is belonging to a group, select the according group in the drop down menu.

Description




Image 52: Forum – Description

Enter the forum description in the “Text” box.

The description is shown in the forum overview page within the frontend.

Thread index

The Thread index lists all threads of a forum.




Image 53: Thread index

By moving the mouse over a thread item in the list a thread context sub menu appears:

- **Edit**
Clicking on “Edit” opens up the “Edit thread” page that allows you to edit the first post of a thread.
- **Comments**
Clicking on “Comments” opens up the “Thread comments index” page where all comments of the thread are listed. By moving the mouse of a comment item the well-known submenu appears, allowing you to edit or delete a comment.



Image 54: Thread comments index

- **Delete**
Clicking on “Delete” marks the thread as deleted from the portal. Actually it remains on the system and can still be managed in the admin panel, but is no more accessible in the portal.

Slide Show (Start Page Slider)

Within the Slide Show tab you can manage the items of the start page slider.

Slide show overview

The table shows the following information:

- **Image**
The image that is shown within the slide.
- **Title**
The title of the slide.
- **Medium**
The medium that can be attached to a slide. Within the slide a link to the medium will be added.
- **Language**
The language of the according slide.
- **Weight**
Each slide can be weighted to present their significance and the order it will appear in the portal.
- **Status**
The status of the slide (created, verify, illegal, legal, deleted).

By moving the mouse over a title in the slideshow overview a slideshow context sub menu appears:

☐	Image	Title	Medium	Language	Weight	Status
☐		Exploring nature		en	0	legal
	Edit Duplicate Lock Delete					

Image 55: Slide show overview

- **Edit**
Clicking on “Edit” opens up the “Edit Slide” page. Modify the settings and contents of the slide here.
- **Duplicate**
Creates a duplicate of the current slide.
- **<Status change>**
Depending on the current status of the slide the status can be changed (e.g. “Lock”).
- **Delete**
Clicking on “Delete” deletes the slide from the portal.

Creating a slide

You can add new slides by either clicking the “Create” button in the vertical navigation bar or the “Add” button in the overview menu.




Image 56: Create a slide

Add/Edit a slide

In this view all settings of a slide can be modified.

Main information



Edit slide – Sidebar

Language
German

Title
Sidebar

Medium

Weight
0

Enter the language setting, the title and the weight (sorting) of the slide here.

You can also add a medium by entering the title of the desired medium. The auto suggest function will give you a list of results where you can select the one you were looking for.

Image 57: Slide show – Edit slide

Image




Image

Image

Change or add an image that shall be displayed within the slide by clicking the button and browse the new image.

Image 58: Slide show – Image

Text



Text

B I U   HTML

Das stets sichtbare Kontextmenü in der Sidebar zeigt Ihnen dynamisch das Pro unter anderem wie viele Ihrer Freunde online sind, und ob Sie Nachrichten erhal

Enter or edit the text that shall be displayed within the slide.

Image 59: Slide show – Text

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Pages

Within the “Pages” tab you can manage the static pages of your portal like “Terms and Conditions” or “Privacy Policy”.

Pages index

The table contains the following information:

- **Title**
The title of the page.
- **Created at**
The creation date of the page.
- **Status**
The status of the page (created, verify, illegal, legal, deleted).

By moving the mouse over a title in the list a page context sub menu appears:

☐	Title	Created at ↑	Status
☐	About us	December 6, 2010 07:54:19 PM CET	legal
	Edit Duplicate Lock Delete		

Image 60: Page index

- **Edit**
Clicking on “Edit” opens up the “Edit page” page. Modify the settings and contents of the selected page here (see section **Add/Edit a page**).
- **Duplicate**
Creates a duplicate of the according page.
- **<Status change>**
Depending on the current status of the page the status can be changed (e.g. “Lock”).
- **Delete**
Clicking on “Delete” marks the page as deleted from the portal. It remains on the system and can still be seen in the admin panel, but no more in the portal.

Page information

By clicking a page's title, the page information view opens.




Image 61: Page information view

View the title, status, creation date and content of the page item here.

Clicking the "Edit" button in the lower left corner leads you directly to the "Edit page" page.

Add/Edit a page

Within this view all settings of a page can be entered or modified.

Main information



Image 62: Pages – Main information

First of all choose which language version of the page you want to edit.

Then you can enter or edit the page title.

Text




Image 63: Pages – Text

Next, enter or edit the content of the page.

Save your changes by clicking the "Save" button or discard them by hitting the "Cancel" button.

Add new pages to the template

To link to a certain page within the template enter the following code at the favored place:

```
<?php
    print link_to('<linktext>', WebContentPeer::getLink(stConfig::get('<pagesID>')));
?>
```

Enter the link name instead of <linktext> and the ID of the page item instead of <pagesID>.

The pagesID can be found in the URL when editing the according item in the backend:



Image 64: PagesID

Categories

Within the “Categories” tab all the categories of the portal are listed, sorted by creation date.

Categories index

The table contains the following information:

- **Image**
Each category can be given an image that represents the category.
- **Category**
“Category” defines the name of the category.
- **Parent category**
Name of the parent category, if defined.
- **Weight**
Each category can be weighted to present its significance and the order it will appear in the portal.
- **Created at**
The creation date of the category.
- **Status**
The status of the category (created, verify, illegal, legal, deleted).

By moving the mouse over a category name in the list a category context sub menu appears:




Image 65: Categories index

- **Edit**
Clicking on “Edit” opens up the “Edit Category” page. Modify the category settings here.
- **<Status change>**
Depending on the current status of the category the status can be changed.
- **Delete**
Clicking “Delete” marks the category as deleted from the portal. Actually it remains on the system and can still be managed in the admin panel, but is no more active in the portal.

Category information

By clicking the name of a category the category information view opens.



Image 66: Category information view

In this view all information about the category and its image are shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit category” page.

Edit a category

Within this view all settings of a category can be modified.

Main information

Image 67: Category – Main information

First of all you may choose which language version of the category you want to edit.

Next, the category name can be modified, a parent category can be selected (if you want it to define the current category as a sub-category) and the weighting (sorting) can be adjusted to define the order of the categories.

Note that weight can only be edited in the main language of ViMP (English).

Image

Image 68: Category – Image

Change the category image here.

To attach another image, click the button and browse the new image.

The function also is only available for the main language of ViMP (English).

Description

Description

Dies ist die Kategorie Unterhaltung und es gibt viele, viele sehr schöne Videos - um genau zu sein, sind alle sehr schön. Schaut es euch an!

Image 69: Category – Description

Enter the category description here or edit the existing one.

The text is shown in the category overview.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Newsletters (module required)

Within the “Newsletters” tab you can create and manage newsletter mailings.

Newsletter index

The table contains the following information:

- **Name**
The name of the newsletter.
- **Created at**
The creation date of the newsletter.
- **Status**
The status of the newsletter (created, verify, illegal, legal, deleted).

By moving the mouse over a newsletter entry in the list a newsletter context sub menu appears:

☐	Name	Created at ↑	Status
☐	VIMP Newsletter	February 17, 2011	active
	Edit Duplicate Deactivate Create Issue Issues Subscriptions		

Image 70: Newsletter index

- **Edit**
Clicking on “Edit” opens up the “Edit Newsletter” page. Modify the title of the newsletter here.
- **Duplicate**
Creates a duplicate of the current newsletter.
- **<Status change>**
Depending on the current status of the newsletter the status can be changed (e.g. “activate”).
- **Issues**
Clicking on “Issues” opens up the “Issues index” page where all issues of this newsletter are listed.
- **Create issue**
Clicking on “Create issue” allows you to compose a new newsletter issue.
- **Subscriptions**
Opens the newsletter subscriber index.
- **Delete**
Clicking on “Delete” deletes the current newsletter.

Newsletter information

By clicking a newsletter title the newsletter information view opens.




Image 71: Newsletter information view

This view displays all information about the newsletter in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit newsletter” page.

Edit a newsletter

In this view all settings of newsletter can be modified.

Main information



Image 72: Newsletter – Main information

You can edit the name of the newsletter and set a status, which can be created, active, inactive or deleted.

Newsletter issue index

The Newsletter issue index lists all issues of a certain newsletter.

☐	Subject	Sender e-mail	Sender name	No. sent	Execute at	Started at	Finished at	Created at	Status
☐	VIMP News 1	newsletter@vimp.com	Newsletter	0	May 29, 2016 03:00 AM			May 28, 2015	created
	Edit	Duplicate	Activate	Delete					

Image 73: Newsletter issue index

By moving the mouse over an issue item in the list an issue context sub menu appears:

- **Edit**
Clicking on “Edit” opens up the “Edit newsletter issue” page that allows you to edit the according newsletter issue.
- **Duplicate**
Creates a duplicate of the current newsletter issue.
- **<Status change>**
Depending on the current status of the newsletter issue the status can be changed (e.g. “activate”).
- **Delete**
Clicking on “Delete” deletes the according newsletter issue.

Newsletter issue information

Clicking the title of a newsletter issue opens the newsletter issue information view.



Newsletter Issue: Lorem ipsum

Subject	Lorem ipsum
Status	created
Sender e-mail address	newsletter@yourdomain.com
Sender name	Newsletter No. 1
Reply e-mail address	no-reply@yourdomain.com
Reply name	no-reply
Execute at	3/3/12
Started at	
Finished at	
Message HTML	Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.
Message Text	Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

[Edit](#)

This view displays all information about the newsletter issue in a brief overview.


Clicking the “Edit” button in the lower left corner leads you directly to the “Edit newsletter issue” page.

Image 74: View newsletter issue

Edit/add a newsletter issue

Within this view all contents and settings of a newsletter issue can be modified.

E-mail settings



The form contains the following fields:


- Sender e-mail address:** newsletter@example.com
- Sender name:** Newsletter
- Reply e-mail address:** no-reply@example.com
- Reply name:** no-reply

Image 75: Newsletter issue – E-mail settings

Set the e-mail address of the sender and the “From”-name to be displayed within the recipient’s mail client.

Additionally you can define a separate reply address.

Content



The form contains the following sections:

- Subject:** Newsletter Juli/August
- Message Text:** Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.
- Message HTML:** Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Image 76: Newsletter issue – Content

Enter the subject of the newsletter.

Next enter the plain-text version of your newsletter.

Then you can also enter a HTML version of your newsletter that can be formatted individually.

The plain-text version will be displayed on mail clients that don’t support HTML.

Additional settings



Image 77: Newsletter issue – Additional settings

Last but not least you set the date of distribution.


Note that the execution can last several hours, depending on the number of recipients.

If you want to send a test newsletter to yourself or a limited number of recipients, enter the username(s) in the last field and click the “Test mail” button.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Newsletter subscriptions index

The newsletter subscriptions index lists all subscribers of the according newsletter.



Users	Created at
admin	March 2, 2012

Image 78: Newsletter subscription index

By moving the mouse over an username in the list a context sub menu appears:

- **Delete**

Clicking on “Delete” deletes the newsletter subscription of the according user.

Video on Demand (module required)

To active payment functionalities go to configuration, select “Payment” from the menu and activate the “Payment” setting. You may want to change additional settings to meet your requirements, too.

You also need to configure your payment provider plugins, so that users can transfer money. For example, PayPal will need your merchant e-mail address.

Transaction index

In this view all transactions can be listed and exported in comma separated values (CSV).



Image 79: Payment - Transactions

The button “CSV Export” will bring up a new form that will enable you to select the timeframe containing the data you want to export.



The form contains two date selection sections. The 'From' section has dropdowns for 'February', '21', and '2012'. The 'To' section has dropdowns for 'March', '22', and '2012'. At the bottom are 'Export' and 'Cancel' buttons.

Image 80: Transactions – CSV Export

By clicking the “Export”-Button the data will be processed and offered as a download in your browser. “Cancel” brings you back to the transaction index.

The table of the transaction index displays the following information:

Comment	Direction	Sum	Sender	Receiver	Created at
User user paid channel subscription for channel Skyline.	incoming	20.00 €	user	(operator)	June 15, 2012
Producer share // User user paid channel subscription for channel Skyline.	outgoing	1.14 €	(operator)	vimp_S&G_producer	June 15, 2012

Image 81: Payment - Transactions

- **Comment**
Contains a brief description of the transaction.
- **Direction**
Indicates the direction of the transaction; i.e. if the transaction is incoming or outgoing.
- **Sum**
Shows the amount of the transaction displayed in the currency you selected.
- **Sender**
Contains the username of the user sending the amount of the specific transaction.
- **Receiver**
Contains the username of the user receiving the amount of the specific transaction.
- **Created at**
Shows the date of the transaction.

Subscription index

In this view all existing subscriptions will be listed and new ones can be created.

Name	Created at ↑	Status ▾
ViMP Portal-Abo	March 30, 2012	active
Edit Delete		

Image 82: Payment – Subscriptions

- **Name**
The name of the subscription.
- **Created at**
The date of creation of the.
- **Status**
The status of the subscription, i.e. if the subscription is subscribe-able to users or not.

By hovering the mouse over a single subscription you can access the option to delete or edit it.

By clicking “Edit” the form to create a new subscription, filled with the details of the selected one will show up. Note that only inactive subscriptions can be edited.




Image 83: Video on Demand - Subscription

By clicking the “Add” button a new form will show up:

Name

Price (€)

0.00

Timeframe (days)

30

Ends automatically ☒ Yes ☐ No

Status

inactive ▾

Subscription type

Type

**** Portal **** ▾

Save

Cancel

Image 84: Payment – Subscription - Add

The input fields are:

- **Name**
Name of the subscription you want to create.
- **Price**
The price a user has to pay each time a new timeframe starts.
- **Timeframe**
The period of days that a single period consists of.

- **Ends automatically**
 Yes: The subscription will be terminated after a single period.
 No: The subscription will not be terminated until the user cancels it manually.
- **Status**
 Inactive: Subscription will be saved and visible in the backend to administrators, but cannot be subscribed by users.
 Active: Subscription will be saved and visible in the backend to administrators and can also be subscribed by users.

Subscription type

- **Type**
 Defines, if the subscription is valid to the whole portal or only to a specific channel

The “Save”-Button saves the subscription and brings you back to the subscription index, the “Cancel”-Button will abort the creation process and bring you back to the subscription index.

Ordered subscription index

The ordered subscription index provides the list of subscriptions subscribed by users.

Subscription Name	Username	Created at ↑	Expired at	Status ▼
ViMP Channel-Abo (Skyline)	vimp_SG_producer	March 30, 2012	11. 11, 2012	deleted
ViMP Channel-Abo (Skyline)	vimp_SG_producer	March 30, 2012	11. 11, 2012	active
Edit Cancel Delete				

Image 85: Payment – Ordered

- **Subscription Name**
 The name of the subscription subscribed by a user.
- **Username**
 The username of the user who subscribed the subscription.
- **Created at**
 The date of subscribing the subscription.
- **Expired at**
 The date of the end of the subscription.
- **Status**
 The status of the specific subscription.
 Active: The subscription is active, the user can access the subscribed media.
 Expired: The subscription ended automatically.
 Deleted: The subscription was deleted by an administrator.
 Canceled: The user ended the subscription manually.

User

When editing a user, you may also edit the user's credit account amount.



Image 86: User - Credits

Due to the functionality of the Video on Demand module, it was necessary to add a new role “Producer” to the user system. The difference between a user and the new producer is that the producer has the additional permission to add a price to an uploaded media. The producer settings can be accessed from the user index:



Image 87: User index – Producer settings

This will lead to a new form:




Image 88: User – Producer settings

The options are:

- **Share per individual sale**
Sets the share (in percentages or absolute) that the specific user will gain, if somebody purchases his video one time. The price itself is defined by the uploading user.
- **Share per subscription**
Sets the share (in percentages or absolute) that the specific user will gain, if somebody purchases access to his video by subscribing to the associated channel or by a portal subscription.
- **Producer credits**
The amount of credits the producer has earned.

Media

Due to the functionality of the Video on Demand module, it was necessary to add a new attribute to the media: the price. It is set by a producer while the media file is uploaded.

The Administrator can edit the price by accessing the edit form of the specific medium:



Price

With costs ☒ Yes ☐ No

Price for this medium (credits)

12

Image 89: Media edit - Price

- **With costs**
Defines, if the medium is free to watch or if the users have to pay for it.
- **Price for this medium (credits)**
Specifies the price of the specific medium. The currency is “credits” in this case, regardless of what your default currency is.

Channels

Due to the functionality of the Video on Demand module, it was necessary to add a new attribute to the channels: the price. It is set by an administrator by editing the channel.

The Administrator can edit the price, by accessing the edit form of the specific channel:



Price

With costs ☐ Yes ☒ No

Price for this channel (credits)

0.00

Image 90: Channel edit - Price

- **With costs**
With costs defines if the channel is free to watch or if you have to pay for it.
- **Price for this channel (credits)**
Specifies the price for the specific channel. The currency is credits in this case, regardless of what your default currency is.

Livestreams

Due to the functionality of the Video on Demand module, it was necessary to add a new attribute to the livestreams: the price. It is set by an administrator by editing the livestream.

The Administrator can edit the price, by accessing the edit form of the specific livestream:



Price

With costs ☒ Yes ☐ No

Price for this livestream (credits)

3

Image 91: Livestream edit - Price

- **With costs**
With costs defines if the livestream is free to watch or if you have to pay for it.
- **Price for this livestream (credits)**
Specifies the price for the specific livestream. The currency is credits in this case, regardless of what your default currency is.

Livestreams (module required)

Within the “Livestreams” tab all livestreams of the portal are listed, sorted by creation date.

Livestream index

The table contains the following livestream information:

- **Image**
The livestream image displayed on the livestream overview and livestream detail page.
- **Menu Image**
The livestream thumbnail displayed in the vertical navigation bar on the start page and the livestream overview page.
- **Title**
The name of the livestream.
- **User**
The founder and moderator of the livestream.
- **Weight**
Each livestream can be weighted to present its significance and the order it will appear in the portal.
- **Created at**
The creation date of the livestream.
- **Status**
The status of the livestream (created, verify, illegal, legal, deleted).

By moving the mouse over a livestream name in the list a livestream context sub menu appears:

☐	Image	Menu Image	Title	User	Weight	Created at	Status
☐			VIMP Live	admin	1	June 27, 2014 10:55:39 AM CEST	legal
	Edit	Lock	Recalculate statistics	Users	Delete		

Image 92: Livestream index

- **Edit**
Clicking on “Edit” opens up the “Edit livestream” page. Modify the settings of a livestream here.
- **<Status change>**
Depending on the current status of the livestream the status can be changed (e.g. “Lock”).
- **Recalculate statistics**
Clicking “Recalculate statistics” updates the usage statistics of the selected livestream.
- **Users**
Clicking “User” lists all livestream users (subscribers).
- **Delete**
Clicking “Delete” marks the livestream as deleted from the portal. Actually the livestream remains on the system and can still be managed in the admin panel, but is no more accessible in the portal.

Livestream information

Clicking either the thumbnail of a livestream or its title the livestream information view opens.




Image 93: Livestream information view

In this view all information about the livestream and its image are shown in a brief overview.

Clicking the “Edit” button in the lower left corner leads you directly to the “Edit livestream” page.

Edit a livestream

In this view all settings of a livestream can be modified.

Language



Image 94: Livestream – Language selection

First, select the language record to be edited.

Main information

Name	ViMP Live Office View
Type	Video
User	user
Tags	test
Weight	10
Hidden	☐ Yes ☒ No
Verify	☐ Yes ☒ No

Image 95: Livestream – Main information

Within the main information form the livestream title can be modified, the type can be set (video or audio), the owner can be changed, tags can be entered and a weighting (sorting) can be defined.

Furthermore, it can be defined, whether the livestream shall be hidden and if new subscribers have to be verified by an administrator.

Stream URLs




Bild 96: Livestream – Stream-URLs

You can enter different stream URLs for different protocols or devices. The stream URLs will be provided by your livestreaming software or your livestream server.

All streams will be broadcasted through the ViMP player.

Cover Image




Image 97: Livestream – Cover image

Change the cover image here. The cover image will be displayed in the player until the stream starts.

Placeholder Image




Image 98: Livestream – Placeholder image

Change the placeholder image here. The placeholder image will be displayed, if no livestream is available.

Background Image




Image 99: Livestream – Background image

Change the background image here. The Background will be displayed on the livestream overview and livestream page.

Menu Image




Image 100: Livestream – Menu image

Change the menu image here. The menu image will be displayed in the vertical navigation column.

Description





Image 101: Livestream – Description

Enter the description here.

This text is shown in the livestream overview.

Categories




Categories

- ☐ Entertainment
- ☐ Movies
- ☐ Animation
- ☐ Travel
- ☐ Fashion
- ☒ Science
- ☐ Animals
- ☒ Landscapes
- ☐ Cities

Image 102: Livestream – Categories

Each livestream can be assigned to one or several categories optionally.

Pricing data



Price

With costs ☒ Yes ☐ No

Price for this livestream (credits)

3

Save **Cancel**


Image 103: Livestream – Pricing

If the Video on Demand module is enabled, you can enter a price for the livestream in the last box.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Manage Livestream Users

By clicking the context menu link “Users”, you reach the user management index of the according livestream.



Livestream user index

Batch actions

Filters

Items per page: 10 Items: 1 - 1

Users	Joined	Status
☐ user	July 2, 2014 02:11:47 PM CEST	legal

Edit Delete

Image 104: Manage Livestream Users

Here you can delete or – if activated – verify subscribers.

Media Import (Batch Import) (module required)

The Batch Import Plugin will import media files from a pre-configured local directory or via FTP.

The import process can be started in the media section of the ViMP backend by clicking the “Import” button.




Image 105: Media Import – Button

You can add additional files to video and audio files that are not going to be transcoded.

- You can add the following HTML5 formats to a MP4 or FLV file: M4V, WEBM and OGV.
- You can add the following HTML5 formats to a MP3 file: OGA and WAV

Furthermore, you can add a thumbnail to be imported and it is possible to add even preview files as well (VoD module required).

The files have to be arranged in the import directory in this manner:

```
+ import
+ myvideo.mp4
+ myvideo.xml
+ myvideo
+ myvideo.m4v
+ myvideo.webm
+ myvideo.ogv
+ myvideo-thumbnail.jpg
+ myvideo_preview
+ preview_myvideo.mp4
+ preview_myvideo.m4v
+ preview_myvideo.webm
+ preview_myvideo.ogv
```

If you want to import additional files they have to be located within a subdirectory in order to be processed correctly. The XML file needs to refer to these files.

The metadata of every media file can be configured in a XML file with the same name as the media file.

For example, if you want to import a media file named “video.mpg”, your xml file has to be named “video.xml”. Both files need to be in the same directory. Consider that file names are always case sensitive.

Thumbnails will be considered only, if the imported files are not defined to be transcoded.

All values for status and visibility have to be in English. Status values in the XML will be ignored, if transcoding of the imported files is enabled in the configuration.

If transcoding of the imported files is disabled, supported video import formats are FLV, MP4, M4V, WEBM and OGV. Supported audio formats are MP3, OGA and WAV.

In the following a sample XML file:

```
<?xml version="1.0" encoding="UTF-8"?>
<vimpimportsettings>
  <medium_title></medium_title>
  <medium_description></medium_description>
  <medium_categories>
    <medium_category></medium_category>
    <medium_category></medium_category>
  </medium_categories>
  <medium_tags>
    <medium_tag></medium_tag>
    <medium_tag></medium_tag>
  </medium_tags>
  <medium_meta_title></medium_meta_title>
  <medium_meta_description></medium_meta_description>
  <medium_meta_keywords></medium_meta_keywords>
  <medium_meta_author></medium_meta_author>
  <medium_meta_copyright></medium_meta_copyright>
  <medium_user></medium_user>
  <medium_status></medium_status>
  <medium_visibility></medium_visibility>
  <medium_length></medium_length>
  <medium_thumbnail></medium_thumbnail>
  <additional_media></additional_media>
  <additional_media_folder></additional_media_folder>
  <additional_media_files>
    <additional_media_file></additional_media_file>
    <additional_media_file></additional_media_file>
  </additional_media_files>
  <preview_media></preview_media>
  <preview_media_folder></preview_media_folder>
  <preview_media_files>
    <preview_media_file></preview_media_file>
    <preview_media_file></preview_media_file>
  </preview_media_files>
</vimpimportsettings>
```

In case that files cannot be associated clearly to a XML file (e.g. if the file name – independent of the extension – exists several times), the import will be aborted.

Important: the source files of the imported media will be deleted from the defined directory during import process (applies for both the local import and the FTP import). Thus, repeated imports will be prevented.

Description of XML-Nodes

Node name	Description	Values	Can occur multiple times
Vimpimportsettings	Root node which contains all other nodes	<several>	no
medium_title	The title of the medium	custom	no
medium_description	The description of the media	custom	no
medium_categories	The node containing all category nodes	custom	no
medium_category	Contains the name of the category. The category has to exist in the ViMP portal, otherwise the category will be ignored	custom	yes
medium_tags	The node containing all tag nodes	custom	no
medium_tag	Contains a single tag of the medium	custom	yes
medium_meta_title	Contains the meta title of the medium	custom	no
medium_meta_description	Contains the meta description of the medium	custom	no
medium_meta_keywords	Contains all meta keywords of the medium	custom	no
medium_meta_author	Contains the name of the author	custom	no
medium_user	Contains the name of the user owning the medium. The user has to exist in the ViMP portal, otherwise the default user will be used	custom	no
medium_status	Contains the status of the medium	legal, illegal, verify, blocked	no
medium_visibility	Contains the visibility of the medium	public / private	no
medium_length	Contains the length of the medium in seconds	custom	no
medium_thumbnail	Contains the path to the thumbnail of the medium. It has to be a subdirectory of the file location.	custom	no
addition_media	Indicates, if there are additional media files that should be imported	true / false	no
additional_media_folder	Contains the relative path to the folder containing the additional media files that should be imported. Has to be a subdirectory.	custom	no
additional_media_files	Contains all additional_media_file nodes	custom	no
additional_media_file	Contains the name of the file that should be imported with the same settings.	custom	yes
preview_media	Indicates, if there are preview media files that should be imported (VOD-Modul erforderlich)	true / false	no

Node name	Description	Values	Can occur multiple times
preview_media_folder	Contains the relative path to the folder containing the preview media files that should be imported. Has to be a subdirectory.	custom	no
preview_media_files	Contains all preview_media_file nodes.	custom	no
preview_media_file	Contains the name of the preview file.	custom	yes

Statistics

Within the “Statistics” tab the usage statistics for users, media and channels are shown.

In the upper right corner the time and date of the last update is displayed. By clicking the “Recalculate statistics” links in the other tabs (user, media, channels) the statistic will be recalculated and updated.

By accessing a medium or a channel, or when registering or editing a user, the statistic gets updated automatically.

In the upper left corner a date filter is installed.



Statistics

Filter from 2009-10-18 13:10 ... to 2009-10-31 13:10 ... **submit**

Image 106: Statistics – Date Filter

By entering the two time stamps in the format “yyyy-mm-dd hh:mm” encapsulating a period, the statistics for this period will be displayed after clicking the “submit” button.

Next to each input field a button with three dots (“...”) is shown. By clicking this button, a calendar pops up for the selected field. Clicking on a date in this calendar automatically fills the field with the selected data.

A sample view on the statistics is represented in the following image:




Image 107: Statistics – Overview

Translations

ViMP has a translation management tool included. Click the “Translations” link in the upper right corner:




Image 108: Translation management

At first select the language that you want to modify.




Image 109: Language selection

The translation has always to be carried out from English into the foreign language. By moving the mouse over the “Translation” column you can edit the corresponding word or sentence.

Media
Users
Groups
Channels
Blogs
Forum
Slide show
Pages
Categories
Newsletters
Statistics
Payment

Translations

Language English French German Italian Spanish

Update Reset

Items: 1 - 10 / 2976

Items per page: 10

Original	Translation	Created at	Modified at
The user has been blocked.	Der Benutzer wurde gesperrt.	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET
Edit			
Your account has not been confirmed.	Dein Account wurde noch nicht bestätigt.	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET
You do not have enough permissions to use the administration panel.	Du hast nicht genügend Berechtigungen, um den Administrations-Bereich zu nutzen.	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET
just now	gerade eben	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET
@time @unit	@time @unit	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET
Handed '@param' parameter is not a valid user ID	Übergebener '@param' Parameter ist keine gültige Benutzer-ID	November 19, 2013 11:25:19 AM CET	November 19, 2013 11:25:19 AM CET

Image 110: Translation index

Mail templates

E-mail texts (e.g. for automatic notification e-mails) can be edited in the backend as well.

Enter the e-mail template configuration by clicking the [✉ Mails](#) link in the top link list.

The main view displays the list of existing e-mail templates.




Image 111: Mail templates - overview

Edit mail template

By clicking the „edit“ link of the context menu you will be lead to the edit form.

Language selection




Image 112: Mail templates language selection

Select the language you want to edit.

Content



Image 113: Mailvorlage bearbeiten

Subject:

The subject of the e-mail.

Text:

The body text of the e-mail.

User field configuration

ViMP enables you to create individual user profile fields or edit the existing ones.

Enter the user field configuration by clicking the [User fields](#) link in the top link list.

Find a list of all existing user profile fields in the main view.




Image 114: Profile fields - overview

By moving the mouse over a title in the list the context sub menu appears:

- **Edit**
Clicking on “Edit” opens up the “Edit user field” page. Modify the field here.
- **<Status change>**
Depending on the current status of the user field the status can be changed.
- **Delete**
Clicking “Delete” marks the user field as deleted from the portal. Actually it remains on the system and can still be managed in the admin panel, but is no more active in the portal.
- **Settings**
Opens the settings form.

Add/edit user field

By clicking the „edit“ link of the context menu the edit form of the according data record opens. By clicking the “add” button alternatively you can add a new user field.

Language selection



Select the language you want to edit.

Image 115: Profile field – language selection

User field properties




Image 116: Edit profile field

Field name:

Unique field name, used to identify the profile field.

Type:

Type of the profile field (String, Number, Text, Date, Choice, Country, Available Language, Language).

Weight:

Defines the sorting of the profile fields (ascending).

Display name




Image 117: Edit display name

Display name:

Field name, as it will be displayed on the profile page.

Description




Image 118: Edit profile field description

Description:


Additional explanation for the profile field.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Profile field settings

Define further profile field properties by clicking the „settings“ link of the context menu.

User field settings



User field settings – First name

Default value
[Text input field]

Maximal length
[Text input field]

Required ☐

Registration ☐

Save Cancel

Image 119: User field settings

Default value:

Default value of the according profile field.

Maximal length:

Maximum character length of the profile field.

Required:

Check, if you want the field to be mandatory.

Registration:

Defines, if the user field shall be added to the registration form.

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Menus

ViMP lets you adapt the frontend menu structure with ease. Edit the given menu items or add additional ones.

Enter the menu configuration by clicking the  **Menu** link in the top link list.

In the main view you see a list of available menus (by default there is only one menu “Main menu”).




Image 120: Menu index

Menu items index

Clicking the “Menu items” link opens the menu items structure.




Image 121: Menu items index

By moving the mouse over a menu item in the list a context menu appears:

- **Edit**
Edit the according menu item by clicking this link.
- **<Status change>**
Depending on the current status of the menu item the status can be changed (e.g. “Lock”).
- **Sub menu items**
Clicking this link opens the sub menu item index.
- **Delete**
Delete the according menu item.

Add/edit menu item

Within this view all contents and settings of a menu item can be modified.

Language selection




Image 122: Menu item language selection

Switch the menu item language by clicking the according button. General menu item settings can only be edited in the default language.

General settings

Name
Home
Type
Predefined site
Weight
1
CSS-ID

Image 123: General menu item settings

Note that type and weight can only be edited in the main language of ViMP (English).

Name:

The name of the menu item as displayed.

Type:

- Predefined site: Choose one of the included ViMP default pages (e.g. "Media").
- Static site: Choose a static site that must have been defined under "Pages" previously.
- External site: Enter a link to an external Webpage.

Weight:

Defines the order of the menu items in the frontend menu (ascending).

CSS-ID:

Each menu item requires an unique CSS ID.

Page settings


Predefined Page
Home
Static Page
external URL
Same window

Image 124: Page settings

According to the menu item type you selected above, define the target page in the page settings.

Note that the page settings can only be edited in the main language of ViMP (English).

Description




Enter a meta description for the menu item optionally.

Image 125: Description

Save your changes by clicking the “Save” button or discard them by hitting the “Cancel” button.

Menu sub items index

By clicking the “sub menu items” context link in the menu items index, the sub menu items index will be opened.



Type	Title	Weight	Created at	Status
External site	Test	0	March 5, 2012 4:08:08 PM CET	legal

Image 126: Sub menu items index

By moving the mouse over a sub menu item in the list a context menu appears:

- **Edit**
Edit the according sub menu item by clicking this link.
- **<Status change>**
Depending on the current status of the menu item the status can be changed (e.g. “Lock”).
- **Delete**
Delete the according sub menu item.

API

The API allows you to access and edit ViMP data through another application. The API is included in all ViMP editions except ViMP Community. It can be enabled at Configuration -> API within the backend.

Go to www.yourdomain.com/api (replace www.myportal.com with your ViMP domain) to see a detailed description of all available API methods.

Use the same URL to access the API methods, e.g.
www.yourdomain.com/api/getMedia?apikey=<apikey>

API-Keys

You can create an unlimited number of API keys for different applications in the backend.

Enter the API key management by clicking the [API Keys](#) link in the top link list.




Image 127: API Keys Overview

By moving the mouse over a menu item in the list a context menu appears:

- **Edit**
Edit the according API Key.
- **Delete**
Delete the according API Key.

Add/edit an API key

In order to add new API keys just click the „Add“ button on the overview page.

The appearing form is identical to the edit form:

Image 128: Edit API Key

Enter a unique name for the API key to help you to identify the key within the API key management.

Next, enter your desired API key or use the generator to create a random one. The character length is defined at Configuration -> API.


Finally, set the needed API key status.

ViMP Configuration

By clicking on the “Configuration” link, the global configuration menu opens.

Within the configuration panel the ViMP portal can be customized for individual needs. All functions are equipped with a short description, explaining the settings that can be adjusted and what they will affect.

To change the setting of a function, click the “Edit” link, appearing in the context menu when hovering the mouse over the according value. To reset the settings to the default value, click the “Reset” link next to “Edit”.



The screenshot displays the ViMP Configuration interface. On the left is a sidebar menu with a 'Back' link at the top. The menu items are categorized under 'Basic' and include: Portal, Templates, WebTV, Media, Users, Blogs, Pages, Slider, Components, Paging, Activities, Albums, Flash Player, Flash Player (embed), Flash Player, Livestream, Flash Player WebTV, HTML5 Player, HTML5 Player, Subtitles, Streaming, Livestreams, VAST, Acudeo, Advertisement, Transcoding, Transcoding, OpenSource, Transcoding Service, Upload, Vimeo-Import, Youtube-Import, E-mail, Newsletters, Facebook Connect, Facebook Like, Facebook Comments, Google Maps, Google Analytics, Google +1, Twitter Share, Tag cloud, Captcha, captchaGD, reCaptcha, API, Batch import, Payment, Payment Paypal, and Presets. The main content area is titled 'Configuration' and shows the 'Basic settings' section. This section contains a table of configuration parameters with their descriptions and current values.

Basic settings	
Version information	3.5.0
Public version information for ViMP	
Base directory	/var/www/framework/trunk/web
Absolute path to where ViMP is installed (often called webroot)	
Server user	www-data
Server group	www-data
Proxy server	[NULL]
Proxy server port	[NULL]
cURL: Verify SSL certificates	[TRUE]
Default language	English
Sets the default language of the portal (default: en)	
Default country	Germany
Sets the default country of the portal	
Maximum upload filesize	2047M
Value (in bytes) that limits file uploads (make sure to adjust php.ini as well)	
Temporary upload directory	/var/www/framework/trunk/userdata/uploads/
Specify here which temporary directory is used for http post uploads	
Enable RSS feeds	[TRUE]
Allowed e-mail domains	[NULL]
Approve e-mail addresses not matching the allowed domains	[FALSE]

Image 129: Global configuration panel

Basic settings

Setting	Description	Values	Default value	Editable
Version information	The exact version information of the installed ViMP portal	-	-	no
Base directory	Absolute path to the location where ViMP is installed (often called web root)	-	-	no
Server user	The Linux user with permissions to write and access the ViMP file structure	custom	www-data	no
Server group	The Linux group with permissions to write and access the ViMP file structure	custom	www-data	no
Proxy server	The proxy server, if available	custom	-	yes
Proxy server port	The proxy server port	custom	-	yes
cURL: Verify SSL certificates	Verifies cURL certificates, if set to true	true/false	true	yes
Default language	Default language of the ViMP portal	English, German and all other installed languages	English	yes
Default country	Sets the default country of the portal		-	yes
Maximum upload file size	File size value that limits file uploads (make sure to adjust php.ini as well)	Value in bytes	104857600	yes
Temporary upload directory	Specify the absolute path to the temporary directory that is used for http post uploads	Custom, e.g. /var/www/vimp/admin/web/uploads/	-	yes
Enable RSS feeds	Enables/disables RSS feed supply	true / false	true	yes
Allowed e-mail domains	Restrict the registration to one or several domains	custom	-	yes
Approve e-mail addresses not matching the allowed domains	If domain restriction is active, define if registrations with other domains have to be approved	true / false	false	yes

Portal settings

Setting	Description	Values	Default value	Editable
Web address	The URL of your portal (including http://).	custom	-	yes
Portal name	The name of your Portal	custom	-	yes
Portal title	This is the name of the portal that will be displayed in the browser's title bar and inserted into the META tags of the HTML.	custom	-	yes
Portal description	This is the description of the portal that will be inserted into the META tags of the HTML.	custom	-	yes
Portal keywords	These are the keywords of the portal that will be inserted into the META tags of the HTML.	custom	-	yes

Setting	Description	Values	Default value	Editable
Portal e-mail address	This is the e-mail address that is set as the sender address for outgoing e-mails (e.g. registration e-mails).	custom	-	yes
Copyright notice	This notice will be displayed within the RSS feed.	custom	-	yes
Robots meta tag	Meta values for robots control	custom	index. follow	yes
Portal logo	Upload the logo file that shall be displayed in your portal.	custom	-	yes
Portal logo (mobile)	Upload the logo file that shall be displayed within the smartphone template.	custom	-	yes
Alternative translation source	Sets the alternative translation source	English, German and all other installed languages	-	yes
Main menu	Define which menu acts as the main menu	custom	Main menu	yes
Enable Cookie hint message	Enables the cookie policy message	true / false	false	yes
Cookie hint page	The page that will be linked within the cookie message	List of existing static pages	-	yes

Template settings

Setting	Description	Values	Default value	Editable
Enable Mobile Template	Enables or disables the mobile template.	true / false	true	yes
Template	Select the template of your portal.	Pacific*, Classic (and all templates that are installed in the templates folder)	Pacific*	yes
Template skin	Each template can have several skins. Select the active skin here.	default, nitro, nitro-red, black, business* (and all skins that are installed in the templates folder)	nitro-red	yes
Template WebTV	Set the template for WebTV mode.	Pacific*, Classic (and all templates that are installed in the templates folder)	Pacific*	yes
Template Skin WebTV	Set the skin for the WebTV template.	default, nitro, nitro-red, black, business* (and all skins that are installed in the templates folder)	nitro-red	yes
Template Mobile	Set the template for mobile devices.	Mobile (and all templates that are installed in the templates folder)	Mobile	yes
Template Skin Mobile	Set the skin for the mobile template.	nitro-red (and all skins that are installed in the templates folder)	nitro-red	yes
Template Backend	Set the backend template	Backend (and further installed backend templates)	Backend	yes
Template skin Backend	Set the backend skin	default (and further installed backend skins)	default	yes

*Not available in ViMP Community edition.

WebTV settings (module required)

Setting	Description	Values	Default value	Editable
WebTV mode	Select the operation mode. “WebTV only” disables all portal functions except of WebTV.	WebTV only, Community only, WebTV and Community	WebTV and Community	yes
Featured media type in WebTV mode	Defines the way featured media is selected in WebTV mode.	new, best rated, most accessed, random, featured media, special media, playlist	new	yes
Featured medium in WebTV mode	Defines the special medium (if selected in the setting before).	Media ID	-	yes
Featured playlist in WebTV mode	Defines the playlist that shall be activated by default in WebTV	custom	-	yes
Allow rating	Enable or disable media rating in WebTV mode.	true / false	true	yes
Show category browser	Enable or disable the category browser in WebTV mode.	true / false	true	yes
Activate user playlists	Define if registered users may create/save their own playlists.	true / false	true	yes
Show search bar	Enable or disable the WebTV search bar	true / false	true	yes
Enable ColorMood	ColorMood makes the video experience more comfortable by changing the background color according to the colors of the video.	true / false	false	yes
Promote selected media	Define if you want to promote selected media during playback.	true / false	true	yes
Promoted media type	Define the way, promoted media are selected.	Rating, Views, New	Rating	yes
Number of recommended media	Define the number of recommended media.	custom	10	yes
Show recommended media for the first time during video x	Defines when recommended media will be displayed for the first time	custom	1	yes
Show recommended media every y videos	Defines how often recommended media will be promoted	custom	5	yes
Teaser length	Select how many seconds the teasers for next and recommended videos will be displayed	custom	5	yes

Media settings

Setting	Description	Values	Default value	Editable
Enable videos	If enabled, videos can be uploaded and viewed in the portal	true / false	true	yes

Setting	Description	Values	Default value	Editable
Enable photos	If enabled, photos can be uploaded and viewed in the portal	true / false	true	yes
Enable audio files	If enabled, audio files can be uploaded and viewed in the portal	true / false	true	yes
Enable documents	If enabled, documents can be uploaded and viewed in the portal	true / false	true	yes
Hidden media direct link	If enabled, hidden media can be viewed via a direct link	true / false	false	yes
Download videos	If enabled, videos can be downloaded	true / false	false	yes
Download photos	If enabled, photos can be downloaded	true / false	false	yes
Download audio files	If enabled, audios can be downloaded	true / false	false	yes
Download documents	If enabled, documents can be downloaded	true / false	true	yes
Activate comments	If enabled, users can comment on media	true / false	true	yes
Allow rating	If enabled, users can rate media	true / false	true	yes
Allow likes	If enabled, users can like media	true / false	true	yes
Allow favorites	If enabled, users can favor media	true / false	true	yes
Verify new media	If enabled, uploaded media has to be verified by an administrator before it appears in the portal	true / false	false	yes
Default media visibility	If enabled, the default value of media visibility in the upload form is „public“, otherwise „private“	true / false	true	yes
Featured media type	The way featured media on the start page is defined	new / best rated / most access / random / featured media / special media	new	yes
Featured medium	If featured media type is set to “special media” the medium can be defined here	Media ID	-	yes
Time limit for medium visit count	Number of seconds where recurring visits of a user won't be counted.	custom	0 (every visit counts)	yes
List of allowed video extensions	Comma separated list of uploadable video formats	custom	avi, wmv, mov, flv, mpeg, mpg, m4v, mp4	yes
List of allowed photo extensions	Comma separated list of uploadable photo formats	custom	png, jpg, gif	yes
List of allowed audio extensions	Comma separated list of uploadable audio formats (currently only mp3 supported)	custom	mp3	yes
List of allowed document file extensions	Comma separated list of uploadable document formats	custom	txt, pdf, doc, xls, ppt, pps, docx, xlsx, pptx, ppsx	yes

Setting	Description	Values	Default value	Editable
List of allowed document file extensions that will be displayed in the browser	Comma separated list of document formats, which are displayed by plug-in directly in the browser.	custom	txt, pdf	yes
Close media view	Only logged in users can enter media detail pages	true / false	false	yes
Show media views in Template	Enable/disable the view count on the media page	true / false	true	yes
Show share button	Enable/disable the share button underneath the player	true / false	true	yes
Show social share icons	Enable/disable the social share icons underneath the player	true / false	true	yes
Startpage media box default layout	Defines the appearance of the thumbnails	Big thumbs / Thumbs / List	Thumbs	yes
Media box default layout	Defines the appearance of the thumbnails	Big thumbs / Thumbs / List	Thumbs	yes
Featured Media box default layout	Defines the appearance of the thumbnails	Big thumbs / Thumbs / List	Big thumbs	yes
Enable "Media being watched" box	If enabled, media currently watched are listed on the startpage	true / false	true	yes
Enable related media	If enabled, related media are listed on the media pages	true / false	true	yes
Enable media referrer box	If enabled, the referrers (TrackBacks) will be listed.	true / false	false	yes
Enable categories box	If enabled, the categories will be listed.	true / false	true	yes
Enable tags box	If enabled, the tags will be listed.	true / false	true	yes

User settings

Setting	Description	Values	Default value	Editable
Authentication provider	Choose authentication service	Framework + list of additional services	Framework	yes
Verify registered users	If enabled, new users have to be verified by an administrator	true / false	false	yes
Log in user after registration	If enabled, new users will automatically be logged in after registration	true / false	true	yes
Send friend requests by e-mail	If enabled, friend invitations will not only be sent by private message, but also by e-mail	true / false	true	yes
Minimum length of username	Minimum characters a user name must have	custom	3	yes
Maximum length of username	Maximum characters a user name may have	custom	12	yes
Minimum password length	Minimum characters a password must have	custom	3	yes
Maximum password length	Maximum characters a user name may have (0=unlimited)	custom	12	yes

Setting	Description	Values	Default value	Editable
Time limit for user visit count	Number of seconds where user profile visits by the same user won't be counted again	custom	0 (every visit counts)	yes
User online timeout	Time in seconds a user will be counted as online after his last page view	custom	300	yes
"New user" Timeout	Time in seconds a user will be counted as "new" after his registration	custom	300	yes
Invitations expire after X days	Number of days when invitation requests expire	custom	10	yes
Activate guestbooks	If set to true, users can add guestbook entries to other users	true / false	true	yes
Verify channel users	If enabled, new channel users have to be verified by an channel administrator	true / false	false	yes
Verify group members	If enabled, new group members have to be verified	true / false	false	yes

Blogs

Setting	Description	Values	Default value	Editable
Enable blog	If enabled, blogs are activated.	true / false	true	yes
Activate comments	If enabled, users can comment on blog entries	true / false	true	yes
Allow rating	If enabled, users can rate blog entries	true / false	true	yes
Allow likes	If enabled, users can like blog entries	true / false	true	yes
Allow favorites	If enabled, users can favor blog entries	true / false	true	yes
Enable tags box	If enabled, tags are listed on the blog page	true / false	true	yes
Time limit for blog entry visit count	Number of seconds, where visits to a blog entry by the same user will not be counted (default: 0 = every visit counts)	custom	0	yes
Show blog entry views in Template	If enabled, the number of views of a blog entry are displayed	true / false	true	yes
Show blog share button	If enabled, the share button for blogs will be activated	true / false	true	yes

Pages settings

Setting	Description	Values	Default value	Editable
Show page on startpage	Define if the defined page shall be displayed on the start page.	page selection	-	yes
Show page in media section	Define if the defined page shall be displayed within the media section.	page selection	-	yes

Setting	Description	Values	Default value	Editable
Show page in video section	Define if the defined page shall be displayed within the video section.	page selection	-	yes
Show page in photo section	Define if the defined page shall be displayed within the photo section.	page selection	-	yes
Show page in audio section	Define if the defined page shall be displayed within the audio section.	page selection	-	yes
Show page in document section	Define if the defined page shall be displayed within the document section.	page selection	-	yes
Show page in blog section	Define if the defined page shall be displayed within the blogs section.	page selection	-	yes
Show page in community section	Define if the defined page shall be displayed within the community section.	page selection	-	yes
Show page in channels section	Define if the defined page shall be displayed within the channel section (requires channel module).	page selection	-	yes
Show page in groups section	Define if the defined page shall be displayed within the groups section.	page selection	-	yes
Show page in forum section	Define if the defined page shall be displayed within the forum section (requires forum module).	page selection	-	yes
Page: Footer text	Select the page to be used for the footer text.	page selection	-	yes
Pages: media upload help text	Select the page to be used for the upload help text.	page selection	-	yes
Pages: license invalid notification text	Select the page to be used in case the license key is invalid	page selection	-	yes
Pages: media edit help text	Select the page to be used for the media edit help text.	page selection	-	yes
Pages: user edit help text	Select the page to be used for the user edit help text.	page selection	-	yes
Pages: blog edit help text	Select the page to be used for the blog edit help text.	page selection	-	yes
Pages: blog comment help text	Select the page to be used for the blog comment help text.	page selection	-	yes
Pages: group edit help text	Select the page to be used for the group edit help text.	page selection	-	yes
Pages: friend invite help text	Select the page to be used for the friend invite help text.	page selection	-	yes

Slider settings

Setting	Description	Values	Default value	Editable
Enable slider on startpage	Enable to display the slider on the startpage	true / false	true	yes

Setting	Description	Values	Default value	Editable
Enable slider on startpage (mobile template)	Enable the slider on the startpage in mobile template (PACIFIC)	true / false	false	yes
Slider autoplay	Enables/disables autoplay	true / false	true	yes
Slider autoplay interval	Define the autoplay interval in ms	custom	10000	yes
Slider duration	Define slider fade-in duration in ms	custom	800	yes

Component settings

Setting	Description	Values	Default value	Editable
Disable registrations	Disable registration of new users.	true / false	false	yes
Show disable registration message	Display a message in the frontend if registration is disabled	true / false	true	yes
Disable login	Disable login to the portal.	true / false	false	yes
Disable logout	Disable logout of the portal.	true / false	false	yes
Disable upload	Disable the public upload of new files.	true / false	false	yes
Activate private messages	If enabled users can send private messages	true / false	true	yes
Activate friends	If enabled, user can make friendships.	true / false	true	yes
Activate OpenID	If enabled users can optionally log in using their OpenID authentication	true / false	false	yes
Enable media player on startpage	If enabled, the media player will be displayed on the start page	true / false	false	yes
Enable featured media box on startpage	If enabled, the featured media box will be displayed on the startpage	true / false	false	yes
Enable media box on startpage	If enabled, the media box will be displayed on the startpage	true / false	true	yes
Enable user box on startpage	If enabled, the user box will be displayed on the startpage	true / false	false	yes
Enable activities box on startpage	If enabled, the activities box will be displayed on the startpage	true / false	true	yes
Enable community	If enabled, the community features will be activated.	true / false	true	yes
Enable groups	If enabled, groups are activated.	true / false	true	Yes
Enable channels	If enabled, channels are activated	true / false	false	yes
Enable forum	If enabled, forums are activated.	true / false	true	yes
Rich-Text editor	Enable/disable or select the favored rich text editor	none / TinyMCE / CKEditor	none	yes

Paging settings

Setting	Description	Values	Default value	Editable
Number of media per page on user pages (thumbnail view)	Set the maximum number of media per page displayed on user pages.	custom	12	yes
Number of media per page on user pages (list view)	Set the maximum number of media per page displayed on user pages.	custom	4	yes
Number of media per page on user pages (big thumbnail view)	Set the maximum number of media per page displayed on user pages.	custom	6	yes
Number of comments per page on user pages	Set the maximum number of comments per page that will be displayed in the user profile.	custom	10	yes
Number of visitors per page on user pages	Set the maximum number of visitors per page that will be displayed in the user profile.	custom	3	yes
Number of friends per page on user pages	Set the maximum number of friends per page that will be displayed in the user profile.	custom	3	yes
Number of blogs per page on user pages	Set the maximum number of blog per page that will be displayed in the user profile.	custom	10	yes
Number of groups per page in the groups box of the user	Set the maximum number of groups per page that will be displayed in the group box of the user profile.	custom	4	yes
Number of media (thumbnail view)	Set the maximum number of media per page in thumbnail view.	custom	12	yes
Number of media (list view)	Set the maximum number of media per page in list view.	custom	4	yes
Number of media (big thumbnail view)	Set the maximum number of media per page in big thumbnail view.	custom	6	yes
Number of featured media on media overview page	Set the maximum number of featured media per page on the media overview page.	custom	3	yes
Number of trackbacks on media pages per page	Set the maximum number of trackbacks shown per page on media pages.	custom	12	yes
Number of related media per page on media pages	Set the maximum number of related items per page.	custom	10	Yes
Number of visitors per page on media pages	Set the maximum number of visitors shown per page on media pages.	custom	3	yes

Setting	Description	Values	Default value	Editable
Number of media comments per page	Set the maximum number of media comments shown per page on media pages.	custom	10	yes
Number of media on media overview page (thumbnail view)	Set the maximum number of media shown per page on media overview page in thumbnail view.	custom	24	yes
Number of media on media overview page (list view)	Set the maximum number of media shown per page on media overview page in list view.	custom	8	yes
Number of media on media overview page (big thumbnail view)	Set the maximum number of media shown per page on media overview page in big thumbnail view.	custom	12	yes
Number of featured media on media overview page (thumbnail view)	Set the maximum number of media shown per page on media overview page in thumbnail view.	custom	4	yes
Number of featured media on media overview page (list view)	Set the maximum number of media shown per page on media overview page in list view.	custom	4	yes
Number of featured media on media overview page (big thumbnail view)	Set the maximum number of media shown per page on media overview page in big thumbnail view.	custom	3	yes
Number of channels per page (thumbnail view)	Set the maximum number of channels in thumbnail view	custom	10	yes
Number of channels per page (slider view)	Set the maximum number of channels in thumbnail view	custom	5	yes
Number of channels per page (list view)	Set the maximum number of channels in list view	custom	10	yes
Number of channels per page (big thumbnail view)	Set the maximum number of channels in big thumbnail view	custom	15	yes
Number of channel media per page (thumbnail view)	Set the maximum number of channel media per page in thumbnail view	custom	15	yes
Number of channel media per page (list view)	Set the maximum number of channel media per page in list view	custom	3	yes

Setting	Description	Values	Default value	Editable
Number of channel media per page (big thumbnail view)	Set the maximum number of channel media per page in big thumbnail view	custom	9	yes
Number of featured channel media per page	Set the maximum number of featured channel media per page	custom	3	yes
Number of channel positions in main menu	Set the position of the channels within site menu	custom	5	yes
Number of groups per page (thumbnail view)	Set the maximum number of groups in thumbnail view.	custom	12	yes
Number of groups per page (list view)	Set the maximum number of groups in list view.	custom	6	yes
Number of groups per page (big thumbnail view)	Set the maximum number of groups in big thumbnail view.	custom	8	yes
Number of group members per page (thumbnail view)	Set the maximum number of group members per page.	custom	12	yes
Number of group members per page (list view)	Set the maximum number of group members per page.	custom	6	yes
Number of group members per page (big thumbnail view)	Set the maximum number of group members per page.	custom	6	yes
Number of forum threads per page on group pages	Set the maximum number of group forum threads per page.	custom	10	yes
Number of blogs per page	Set the maximum number of blog items shown per page.	custom	10	yes
Number of blogs per page in the blog box	Set the maximum number of items within the blog box.	custom	10	yes
Number of new blogs per page	Set the maximum number of new blog items per page.	custom	10	yes
Number of blog comments per page	Set the maximum number of blog comments shown per page.	custom	10	yes
Number of new blog comments per page	Set the maximum number of new blog comments per page.	custom	10	yes
Number of recommended blog entries per page on blog pages	Set the maximal number of recommended blog entries shown per page on blog pages	custom	10	yes
Number of forums per page	Set the maximum number of forums per page	custom	10	yes

Setting	Description	Values	Default value	Editable
Number of forum comments per page	Set the maximum number of forum comments shown per page	custom	10	yes
Number of forum threads per page	Set the maximum number of forum threads shown per page	custom	10	yes
Number of forum threads per page in the info box	Set the maximum number of forum threads shown per page in the info box	custom	10	yes
Number of blogs per page on startpage	Set the maximum number of blogs shown per page on the start page.	custom	10	yes
Number of users per page on startpage	Set the maximum number of users shown per page on the start page.	custom	12	yes
Number of users per page	Set the maximum number of users shown per page.	custom	24	yes
Number of favorites per page on community page	Set the maximum number of favorites shown per page on the community page.	custom	6	yes
Number of items in user history per page	Set the maximum number of items shown per page in the user history.	custom	4	yes
Number of users online per page	Set the maximum number of online users shown per page.	custom	10	yes
Community page: Number of blog entries per page	Set the maximum number of blog entries shown on the community page.	custom	5	yes
Community page: Number of friend blog entries	Set the maximum number of friend's blog entries shown on the community page.	custom	5	yes
Community page: Number of comments	Set the maximum number of comments shown on the community page.	custom	5	yes
Community page: Number of friend comments	Set the maximum number of friend comments shown on the community page.	custom	5	yes
Community page: Number of guestbook entries	Set the maximum number of guestbook entries on the community page.	custom	5	yes
Community page: Number of new users	Set the maximum number of new users shown on the community page.	custom	12	yes
Community page: Number of rated media	Set the maximum number of rated media shown on the community page.	custom	5	yes
Community page: Number of active users	Set the maximum number of active users shown on the community page.	custom	5	yes
Number of friends per page	Set the maximum number of friends per page.	custom	24	yes

Setting	Description	Values	Default value	Editable
Number of friend blogs per page	Set the maximum number of friend's blogs per page.	custom	10	yes
Number of messages in outbox per page	Set the maximum number of messages per page in the outbox.	custom	10	yes
Number of messages in inbox per page	Set the maximum number of messages per page in the inbox.	custom	10	yes
Number of search items per page	Set the maximum number of search items per page on the search result page.	custom	6	yes
Community page: Maximum activities	Set the maximum number of activity items per page on the community page.	custom	6	yes

Activities settings

Setting	Description	Values	Default value	Editable
Show media comments creation activity	Enable/disable the according activity filter	true / false	true	yes
Show media favorites addition activity	Enable/disable the according activity filter	true / false	true	yes
Show media upload activity	Enable/disable the according activity filter	true / false	true	yes
Show blogs creation activity	Enable/disable the according activity filter	true / false	true	yes
Show forum threads creation activity	Enable/disable the according activity filter	true / false	true	yes
Show groups creation activity	Enable/disable the according activity filter	true / false	true	yes
Show groups join activity	Enable/disable the according activity filter	true / false	true	yes
Show groups media addition activity	Enable/disable the according activity filter	true / false	true	yes

Albums settings (module required)

Setting	Description	Values	Default value	Editable
Enable albums	If set to true, albums are activated	true / false	true	yes
Number of albums per page (thumbnail view)	Set the maximum number of albums per page	custom	8	yes
Number of albums per page (list view)	Set the maximum number of albums per page	custom	6	yes
Number of albums per page (big thumbnail view)	Set the maximum number of albums per page	custom	8	yes

Flash player settings

Setting	Description	Values	Default value	Editable
Default width of the ViMP media player	Defines the default width of the media player	Width in pixels	720	yes
Default height of the ViMP media player	Defines the default height of the media player	Height in pixels	540	yes
Fullscreen image width of the ViMP media player	Fullscreen image width of the media player (in pixel)	Width in pixels	1280	yes
Fullscreen image height of the ViMP media player	Fullscreen image height of the media player (in pixel)	Height in pixels	960	yes
Auto media playback	Media auto start after page load.	true / false	false	yes
Auto load media	Defines if the medium will be loaded on load or on start of the video.	true / false	false	yes
Lights off automatically	Define if the screen around the player shall be darkend during playback.	true / false	false	yes
Allow fullscreen mode	Allow users to switch to fullscreen mode	true / false	true	yes
Show share button	Enable or disable the share button.	true / false	true	yes
Show rating	Enable or disable the rating function within the player	true / false	true	yes
Show info button	Enable or disable the info button.	true / false	true	yes
Show lights off button	Enable or disable the lights-off button.	true / false	true	yes
Enable related media in ViMP Media Player	Enable or disable the related media view within the player	true / false	true	yes
Number of related media in ViMP Media Player	Set the number of recommended media shown at the end of a video.	custom	15	yes
Show tooltips in ViMP Media Player	Enable or disable the tooltips within the player	true / false	false	yes
ViMP Media Player skin	Set the skin of the player.	Air (black), Air (white), Ice (black), Ice (white)	Air (black)	yes
Logo	The file that shall be used as player logo.	custom	-	yes

Flash player embed settings

Setting	Description	Values	Default value	Editable
Default width of the ViMP media player	Defines the default width of the media player	Width in pixels	720	yes
Default height of the ViMP media player	Defines the default height of the media player	Height in pixels	540	yes
Fullscreen image width of the ViMP media player	Fullscreen image width of the media player (in pixel)	Width in pixels	1280	yes
Fullscreen image height of the ViMP media player	Fullscreen image height of the media player (in pixel)	Height in pixels	960	yes
Auto media playback	Media auto start after page load.	true / false	false	yes
Auto load media	Defines if the medium will be loaded on load or on start of the video.	true / false	false	yes
Allow fullscreen mode	Allow users to switch to fullscreen mode	true / false	true	yes
Show share button	Enable or disable the share button.	true / false	true	yes
Show rating	Enable or disable the rating function within the player	true / false	true	yes
Show info button	Enable or disable the info button.	true / false	true	yes
Enable related media in ViMP Media Player	Enable or disable the related media view within the player	true / false	true	yes
Number of related media in ViMP Media Player	Set the number of recommended media shown at the end of a video.	custom	15	yes
Show tooltips in ViMP Media Player	Enable or disable the tooltips within the player	true / false	false	yes
ViMP Media Player skin	Set the skin of the player.	Air (black), Air (white), Ice (black), Ice (white)	Air (black)	yes
Logo	The file that shall be used as player logo.	custom	-	yes

Flash player livestream settings

Setting	Description	Values	Default value	Editable
Default width of livestream player	Defines the default width of the livestream player	Width in pixels	720	yes
Default height of livestream player	Defines the default height of the livestream player	Height in pixels	540	yes
Auto livestream playback	Livestream auto start after page load.	true / false	false	yes

Setting	Description	Values	Default value	Editable
Lights off automatically	Define if the screen around the player shall be darkend during playback.	true / false	false	yes
Allow fullscreen mode	Allow users to switch to fullscreen mode	true / false	true	yes
Show rating	Enable or disable the rating function within the player	true / false	true	yes
Show info button	Enable or disable the info button.	true / false	true	yes
Show lights off button	Enable or disable the lights-off button.	true / false	true	yes
Show tooltips in ViMP Media Player	Enable or disable the tooltips within the player	true / false	false	yes
ViMP Media Player skin	Set the skin of the player	Air (black), Air (white), Ice (black), Ice (white)	Air (black)	yes
Logo	The file that shall be used as player logo.	custom	-	yes

Flash player WebTV settings (module required)

Setting	Description	Values	Default value	Editable
Auto start media playback	Media auto start after page load.	true / false	false	yes
Auto load media	Defines if the medium will be loaded on load or on start of the video.	true / false	false	yes
Lights off automatically	Define if the screen around the player shall be darkend during playback.	true / false	false	yes
Allow fullscreen mode	Allow users to switch to fullscreen mode	true / false	true	yes
Show rating	Enable or disable the rating function within the player	true / false	true	yes
Show info button	Enable or disable the info button.	true / false	true	yes
Show lights off button	Enable or disable the lights-off button.	true / false	true	yes
Show tooltips in ViMP Media Player	Enable or disable the tooltips within the player	true / false	false	yes
ViMP Media Player skin	Set the skin of the player.	Air (black), Air (white), Ice (black), Ice (white)	Air (black)	yes
Logo	The file that shall be used as player logo.	custom	-	yes

HTML5 player settings

Setting	Description	Values	Default value	Editable
Enable HTML5 player	Enable or disable HTML5 player as default player	true / false	true	yes
Template style	Set the player style	custom	Default	Yes
HTML5 player control bar height	Set the height in pixel for calculating the size of the embed iframe	custom	300	yes

Setting	Description	Values	Default value	Editable
Webplayer chapter bar height	Set the height in pixel for calculating the size of the embed iframe	custom	300	yes
Template style for WebTV	Set the web tv player style	custom	Default_WebTV	yes
Template style for Mobile	Set the smartphone player style	custom	Default_Mobile	yes
Template style for Backend	Set the backend player style	custom	Default_Backend	yes
Allow seeking	Enable / disable seeking	true / false	true	yes
VAST mode	Defines how video ads shall be handled	Don't allow seeking over ad / Allow seeking over ad / Allow seeking over ad, ad does not disappear after playing	Allow seeking over ad, ad does not disappear after playing	yes
Watermark position	Set the position of the watermark or disable it	Off / Top left / Top right / Bottom left / Bottom right	Off	yes
Watermark image	Upload the overlay watermark image	file	-	yes
Watermark opacity	Set the watermark opacity	0 (transparent) to 1 (not transparent)	0.3	yes
Watermark link	Set the link of the watermark overlay	custom	-	yes
Enable chapters	Enable / disable chapters	true / false	true	yes
Chapter fallback language	Chapters will be displayed in the given language, if there are no chapters in the current language	<list of installed languages>	English	yes
Chapter thumbnail width	Defines the width of the Thumbnail for a chapter. If width or(!) height equals 0, the other Value is calculated automatically.	custom	300	yes
Chapter thumbnail height	Defines the height of the Thumbnail for a chapter. If width or(!) height equals 0, the other Value is calculated automatically.	custom	0	yes
Use Spritemap as Thumbnail for a chapter	This method is faster, but might not be as accurate (requires FFmpeg on the server, if disabled).	true / false	true	yes
Enable seek preview	Enables or disables seek preview images	true / false	true	yes
Seek preview thumbnail width	Defines the width of the Thumbnail for the seek preview image. If width or(!) height equals 0, the other value is calculated automatically. To apply changes to a medium, it has to be re-transcoded.	custom	0	yes
Seek preview thumbnail height	Defines the height of the Thumbnail for the seek preview image. If width or(!) height equals 0, the other value is calculated automatically. To	custom	80	yes

Setting	Description	Values	Default value	Editable
	apply changes to a medium, it has to be re-transcoded.			
Seek preview spritemap sprites	Defines the number of thumbnails (sprites) for the seek preview. The square root of that value has to be an integer (4, 9, 16, 25, 36, 49, 64, 81, 100). To apply changes to a medium, it has to be re-transcoded.	custom	100	yes
Display related media	Enable or disable related media at the end of a video	true / false	true	yes

HTML5 player subtitle settings (all editions, except ViMP Community)

Setting	Description	Values	Default value	Editable
Enable subtitles	Enable or disable HTML5 player subtitle support	true / false	true	yes
Subtitle directory	Set the folder where uploaded WebVTT files will be stored	custom	<vimp_folder> /userdata/sub titles/	yes

Streaming settings

Setting	Description	Values	Default value	Editable
Enable pseudo streaming	If set to true, pseudo streaming of the player is enabled (in addition your server must support pseudo streaming – read more in our online FAQ)	true / false	false	yes
Enable RTMP streaming	If set to true, RTMP streaming is enabled	true / false	false	yes
Enable HTML5 streaming	If set to true, HTML5 streaming (Cupertino+RTSP) is enabled	true / false	false	yes
Streaming server URL	The URL to the streaming server	custom	-	yes

Livestream settings

Setting	Description	Values	Default value	Editable
Enable livestreams	Enable or disable the livestream module	true / false	true	yes
Number of livestream positions in main menu	Defines the number of livestream positions in the main menu	custom	5	yes
Verify livestream users	If set to true, new livestream users have to be verified by a livestream owner	true / false	false	yes
Connection timeout	Connection timeout for livestreams in seconds	custom	10	Yes
Default cover	Image to be used as the default player cover	custom	-	yes

Setting	Description	Values	Default value	Editable
Default placeholder	Image to be used as the default image, if no livestream is available	custom	-	yes
Show livestream views in template	Enable/disable the view count on the livestream page	true / false	true	yes
Show share button	Enable/disable the share button underneath the player	true / false	true	yes
Enable categories box	If enabled, the categories will be listed.	true / false	true	yes
Enable tags box	If enabled, the tags will be listed.	true / false	true	yes
Activate comments	If enabled, users can comment on livestreams	true / false	true	yes
Allow rating	If enabled, users can rate livestreams	true / false	true	yes
Allow likes	If enabled, users can like livestreams	true / false	true	yes
Allow favorites	If enabled, users can favorize livestreams	true / false	true	yes
Enable related livestreams	If enabled, related livestreams will be listed on the livestream pages	true / false	true	yes
Number of livestreams per page (thumbnail view)	Set the maximum number of livestreams per page in thumbnail view.	custom	10	yes
Number of livestreams per page (slider view)	Set the maximum number of livestreams per page in slider view.	custom	5	yes
Number of livestreams per page (list view)	Set the maximum number of livestreams per page in list view.	custom	10	yes
Number of livestreams per page (big thumbnail view)	Set the maximum number of livestreams per page in big thumbnail view.	custom	6	yes
Number of livestream comments per page	Set the maximum number of livestream comments per page	custom	10	yes
Number of related livestreams per page on livestream pages	Set the maximum number of related livestreams per page	custom	10	yes
Time limit for livestream visit count	Number of seconds that recurring visits of a user won't be counted.	custom	0	yes

VAST settings (all editions, except ViMP Community edition)

Setting	Description	Values	Default value	Editable
Enable VAST	Enable VAST 2.0 player support	true / false	false	yes

Setting	Description	Values	Default value	Editable
VAST slot 1 position	Define the position of the first video ad (in percent)	custom	0	yes
VAST slot 1 URL	Enter the URL of the first video ad VAST 2.0 XML file	custom	-	yes
VAST slot 2 position	Define the position of the second video ad (in percent)	custom	25	yes
VAST slot 2 URL	Enter the URL of the second video ad VAST 2.0 XML file	custom	-	yes
VAST slot 3 position	Define the position of the third video ad (in percent)	custom	50	yes
VAST slot 3 URL	Enter the URL of the third video ad VAST 2.0 XML file	custom	-	yes
VAST slot 4 position	Define the position of the fourth video ad (in percent)	custom	75	yes
VAST slot 4 URL	Enter the URL of the fourth video ad VAST 2.0 XML file	custom	-	yes
VAST slot 5 position	Define the position of the fifth video ad (in percent)	custom	100	yes
VAST slot 5 URL	Enter the URL of the fifth video ad VAST 2.0 XML file	custom	-	yes
Enable VAST also on mobile devices	This function has beta status! Here you can enable video ad support for mobile devices.	true / false	false	yes

Acudeo settings (all editions, except ViMP Community edition)

Setting	Description	Values	Default value	Editable
Program ID	Defines the Acudeo program id, which is passed to the ViMP Media Player.	custom	-	yes

Advertisement settings (all editions, except ViMP Community edition)

Setting	Description	Values	Default value	Editable
Show ad-tag-container positions	Highlights all possible ad tag containers (no matter if enabled or disabled; development function).	true / false	false	yes
Enable advertisement in header	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in header	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement in the context menu under user info box	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in the context menu	Defines the HTML code for the according ad tag.	custom	-	yes

Setting	Description	Values	Default value	Editable
under user info box				
Enable advertisement in the context menu under search box	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in the context menu under search box	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement in the context menu under channels box	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in the context menu under channels box	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement in the context menu under categories box	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in the context menu under categories box	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement in the context menu under tags box	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in the context menu under tags box	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement over content area	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement over the content area	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement under the content area	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement under the content area	Defines the HTML code for the according ad tag.	custom	-	yes

Setting	Description	Values	Default value	Editable
Enable advertisement as skyscraper	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement as skyscraper	Defines the HTML code for the according ad tag.	custom	-	yes
Enable advertisement in footer	Activates the according ad tag.	true / false	false	yes
HTML code for the advertisement in left footer	Defines the HTML code for the according ad tag.	custom	-	yes
HTML code for the advertisement in right footer	Defines the HTML code for the according ad tag in left footer [max width 220].	custom	-	yes

Transcoder settings

Setting	Description	Values	Default value	Editable
Transcoder type	Define the transcoder type.	ViMP Transcoding-Service, Transcoding (Open Source)	Transcoding (Open Source)	yes
Parallel transcoding	Activates/deactivates parallel transcoding	true / false	true	yes
Count of parallel transcoding tasks	Defines how many parallel transcoding tasks are allowed	custom	5	yes

Transcoding OpenSource settings

Setting	Description	Values	Default value	Editable
Video conversion	Define the quality setting of the video conversion.	Low quality, normal quality, good quality	Good quality	yes
Use rotation detection algorithm	Enable / disable algorithm that automatically detects the video's rotation	true / false	false	yes
Copy from upload	Do not transcode uploaded media	true / false	false	yes
Save source files	If disabled, the original files will be deleted after conversion	true / false	true	yes
Custom preset	Custom ffmpeg files	custom	-	yes
Width of converted video stream	Maximum width of the converted video stream.	custom	720	yes
Height of converted video stream	Maximum height of the converted video stream.	custom	-2 (automatic calculation)	yes
Width of converted HTML5 video stream	Maximum width of the converted HTML5/mobile video stream.	custom	640	yes

Setting	Description	Values	Default value	Editable
Height of converted HTML5 video stream	Maximum height of the converted HTML5/mobile video stream.	custom	-2 (automatic calculation)	yes
ffmpeg threads	Number of threads that ffmpeg is supposed to use to transcode into m4v and webm formats		0 (=auto)	yes
ffmpeg path	The absolute path to ffmpeg.	custom	-	yes
exiftool path	The absolute path to exiftool	custom	-	yes
Transcode to mobile MP4 (.m4v)	Enable/disable mobile .m4v conversion.	true / false	true	yes
Transcode to Ogg Vorbis Video (.ogv)	Enable/disable .ogv conversion.	true / false	true	yes
Transcode to WebM (.webm)	Enable/disable .webm conversion.	true / false	true	yes
Transcode to Ogg Vorbis Audio (.oga)	Enable/disable .oga conversion.	true / false	true	yes
Transcode to PCM Wave Audio (.wav)	Enable/disable .wav conversion.	true / false	false	yes

Transcoding Service settings (module required)

Setting	Description	Values	Default value	Editable
ViMP Transcoding Service Account	Enter your ViMP transcoding service account name here	custom	-	yes
ViMP Transcoding Service Access Key	Enter your ViMP transcoding service access key here	custom	-	yes
Save source files	If disabled, the original files will be deleted after conversion	true / false	true	yes

Upload settings

Setting	Description	Values	Default value	Editable
Enable default upload	Enable/disable the default upload in the upload form	true / false	true	yes

Vimeo Import settings (module required)

Setting	Description	Values	Default value	Editable
Enable Vimeo-Video Import	Enable the Vimeo import function in the upload form.	true / false	true	yes

Youtube Import settings (module required)

Setting	Description	Values	Default value	Editable
Enable Youtube-Video Import	Enable the Youtube import function in the upload form.	true / false	true	yes
Youtube API Key	Enter the Youtube API key.	custom	-	yes

E-mail settings

Setting	Description	Values	Default value	Editable
Mail type	Defines how e-mails will be sent. "Native" uses server side e-mail transmission by sendmail or postfix. "SMTP" will use an external mail server.	native / smtp	native	yes
Mail SMTP server	If mail type is set to "smtp", enter the SMTP server name here.	custom	-	yes
Mail SMTP port	If mail type is set to "smtp", enter the smtp port here.	custom	25	yes
Mail SMTP user	If mail type is set to "smtp", enter the SMTP user account name here (mostly an e-mail address).	custom	-	yes
Mail SMTP password	If mail type is set to "smtp" and if your SMTP server requires authentication, enter the SMTP password here.	custom	-	yes
Mail SMTP POP authentication	If mail type is set to "smtp" and if your SMTP server requires POP3 authentication, enable this setting.	true / false	false	Yes
Mail POP server	If mail type is set to "smtp" and if your SMTP server requires POP authentication, enter the name of the POP3 server here.	custom	-	yes
Send e-mail notification on new private messages	Additionally inform users by e-mail when they receive new private messages.	true / false	false	yes
Send e-mail notification on new notification messages	Additionally inform users by e-mail when they receive new notification messages.	true / false	true	yes

Newsletters settings (module required)

Setting	Description	Values	Default value	Editable
Automatic newsletter subscription	If set to true, then the newsletters will automatically be subscribed at registration of a new user.	true / false	true	yes
Default sender e-mail address	This e-mail address is used by default for new newsletters.	custom		yes

Setting	Description	Values	Default value	Editable
Default sender name	This name is used by default for new newsletters.	custom		yes
Default reply e-mail address	This e-mail address is used by default for new newsletters as reply address.	custom		yes
Default reply name	This name is used by default for new newsletters as reply name.	custom		yes
Numbers of newsletter issues per page	This sets the maximal number of newsletter issues per page.	custom	25	yes
Numbers of e-mails per execution	This sets the maximum number of e-mails sent per execution of the sending task.	custom	0 (unlimited)	yes

Facebook Connect settings (module required)

Setting	Description	Values	Default value	Editable
Enable Facebook Connect	Enable this function to allow your users to login with their Facebook account data.	true / false	true	yes
Facebook Application ID	Enter you FB Application key here	custom	-	yes
Facebook Application Secret	Enter you FB Application secret key here	custom	-	yes
Use Facebook Cookie	Define if the FB cookie shall be used.	true / false	true	yes
Facebook Domain	Enter you FB Site URL here.	custom	-	yes

Facebook Like settings (Classic template only)

Setting	Description	Values	Default value	Editable
Enable Facebook Like	Enable this function to display the Facebook Like Button in media detail pages.	true / false	true	yes
Enable secure url meta tag		true / false	false	yes
Facebook Application ID	Enter you FB Application key here	custom	-	yes
Layout Style	Determines the size and shape of the button.	standard / button_count / box_count	box_count	yes
Verb to display	The verb to display in the button. Currently only 'like' and 'recommend' are supported.	like / recommend	like	yes
Color Scheme	The color scheme of the plug-in.	light / dark	light	yes

Facebook Comments settings

Setting	Description	Values	Default value	Editable
Enable Facebook Comments	Enable this function to replace the ViMP comments function with the Facebook comments function.	true / false	false	yes

Setting	Description	Values	Default value	Editable
Facebook Application ID	Enter you FB Application key here	custom	-	yes
Facebook Comments box width	Define the width of the Facebook Comments box	custom	720	yes
Facebook Comments number of posts	Define the number of visible Facebook comments	custom	2	yes
Facebook Comments color scheme	Select the Facebook Comments color scheme	dark / light	light	yes

Google Maps settings (module required)

Setting	Description	Values	Default value	Editable
Google Maps API Key	Enter your Google Maps API key to enable Google Maps.	custom	-	yes
Google Maps for users	Define if Google Maps shall be embedded on the user pages.	true / false	true	yes
Google Maps for media	Define if Google Maps shall be embedded on the media pages.	true / false	true	yes
Default longitude for maps	Enter the default longitude value here.	custom	-	yes
Default latitude for maps	Enter the default latitude value here.	custom	-	yes
Default zoom level for maps	Enter the default zoom level value here.	custom	1	yes

Google Analytics settings

Setting	Description	Values	Default value	Editable
Use Google Universal Analytics	Enable/disable Google Universal Analytics	false / true	false	yes
Google Analytics ID	Enter your Google Analytics ID to enable Google Tracking.	custom (e.g. UA-1234567-12)	-	Yes
Anonymize ip addresses	Tells Google Analytics to anonymize the information sent by the tracker objects by removing the last octet of the IP address prior to its storage.	true / false	true	yes

Google +1 settings (Classic template only)

Setting	Description	Values	Default value	Editable
Enable Google +1	Enable this function to display the Google +1 Button in media detail pages	true / false	true	yes
Size	Determines the size of the button	small/medium/default/tall	default	yes
Show counter	Additionally displays the number of +1 clicks	true / false	false	yes

Twitter Share settings (Classic template only)

Setting	Description	Values	Default value	Editable
Enable Twitter Share	Enable this function to display the Twitter Share Button in media detail pages.	true / false	true	yes
Count	Determines the size and shape of the button.	Vertical count / Horizontal count/ No count	Vertical count	yes

Tag cloud settings

Setting	Description	Values	Default value	Editable
Show tag cloud	Enable/disable the tag cloud	true / false	true	yes
Tag-Cloud: Maximum items	Set the maximum number of tag cloud items.	custom	20	yes

Captcha settings

Setting	Description	Values	Default value	Editable
Enable captcha	If set to true, a spam protection captcha will be displayed in the registration form	true / false	false	yes
Captcha library	Select the captcha library to be used	stCaptchaGDPlugin, stReCaptchaPlugin	stCaptchaGD Plugin	yes

captchaGD settings

Setting	Description	Values	Default value	Editable
Font size	Font size of the characters	custom	16	yes
Possible characters	Possible characters for the captcha	custom	ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789	yes
Repeating chars	If enabled, chars can be doubled	true / false	false	yes
Security code length	Number of characters	custom	6	yes
Angle +/-	Maximum angle of the chars	0-360	30	yes
Case sensitive	If enabled, the input will be case sensitive	true / false	false	yes
Mode	Selection of the appearance	Lines / Crossed	Lines	yes
Lines multiplier	Number of lines	custom	30	yes

reCaptcha settings

Setting	Description	Values	Default value	Editable
reCaptcha public API key	Your public reCaptcha API key	custom	-	yes
reCaptcha private API key	Your private reCaptcha API key	individuell	-	yes
reCaptcha Theme	Skin of the reCaptcha	Red, White, Black Glass, Clean	Clean	yes

API settings (ViMP Enterprise and ViMP Enterprise Ultimate edition)

Setting	Description	Values	Default value	Editable
API enabled	Enable this function to allow API calls.	true / false	false	yes
API support e-mail address	This is the email address that is displayed at API messages	custom	-	yes
API default format	Default value of the response format	XML / JSON	XML	yes
Automatic API key length	Default character length of automatically generated API Keys	custom	32	yes

Batch Import (module required)

Setting	Description	Values	Default value	Editable
Enable Batch Import	Enables / disables the batch import module	true / false	true	yes
Enable local Batch Import	Enables batch import from a local folder	true / false	true	yes
Local Batch Import path	Enter the absolute or relative path of the import folder (relative to the ViMP install directory)	custom	-	yes
Allowed video formats for local Batch import	Enter the default video formats supported by the local batch import	custom	mp4, flv, avi, wmv, mov, mpeg, mpg	yes
Allowed video formats for additional media imported by local Batch import	The default video formats for additional media supported by the local batch import	custom	m4v, webm, ogv	yes
Allowed audio formats for local Batch import	Enter the default audio formats supported by the local batch import	custom	mp3, 3gp, 3gpp, ogg, wma, m4a	yes
Allowed audio formats for additional media imported by local Batch import	The default audio formats for additional media supported by the local batch import	custom	oga, wav	yes
Allowed picture formats for local Batch import	Enter the default picture formats supported by the local batch import	custom	png, jpg, gif	yes
Allowed document formats for local Batch import	Enter the default document formats supported by the local batch import	custom	txt, pdf, doc, xls, ppt, pps, docx, xlsx, pptx, ppsx	yes
Enable external Batch Import	Enables batch import from an external server per FTP	true / false	false	yes
FTP host	Enter the name of the FTP server	custom	-	yes
FTP user	Enter the name of the FTP user	custom	-	yes
FTP password	Enter the password of the FTP account	custom	-	yes

Setting	Description	Values	Default value	Editable
FTP path	Enter the path of the FTP folder	custom	-	yes
FTP passive mode	Enable/disable FTP passive mode	true / false	-	yes
Allowed video formats for ftp Batch import	Enter the default video formats supported by the ftp batch import	custom	mp4, flv, avi, wmv, mov, mpeg, mpg	yes
Allowed video formats for additional media imported by ftp Batch import	The default video formats for additional media supported by the ftp batch import	custom	m4v, webm, ogv	yes
Allowed audio formats for ftp Batch import	Enter the default audio formats supported by the ftp batch import	custom	mp3, 3gp, 3gpp, ogg, wma, m4a	yes
Allowed audio formats for additional media imported by ftp Batch import	The default audio formats for additional media supported by the ftp batch import	custom	oga, wav	yes
Allowed picture formats for ftp Batch import	Enter the default picture formats supported by the ftp batch import	custom	png, jpg, gif	yes
Allowed document formats for ftp Batch import	Enter the default document formats supported by the ftp batch import	custom	txt, pdf, doc, xls, ppt, pps, docx, xlsx, pptx, ppsx	yes
Convert external files	Define if imported files shall be converted	true / false	true	yes
Batch import default user	Define the default user of the imported files (applies, if user not defined in the XML)	<user auto suggest>	-	yes
Batch import default status	Define the default status of imported files (applies, if status not defined in the XML). If files will be converted, status will always be set to 'uploaded'.	<status select>	Uploaded	yes
Batch Import default thumbnail	Upload a default thumbnail of the imported files (applies, if thumbnail not defined in the XML)	<file upload>	-	yes
Batch Import default category	Define the default category of imported files (applies, if category not defined in the XML)	<category select>	-	yes
Batch Import default title	Enter the default title of imported files (applies, if title not defined in the XML). Title will be extended by a consecutive number	custom	-	yes
Batch Import default description	Enter the default description of the imported files (applies, if description not defined in the XML)	custom	-	yes
Batch Import default tags	Enter the default tag(s) of the imported files (applies, if tags not defined in the XML)	custom	-	yes
Batch Import	Define the default visibility of	private / public	public	yes

Setting	Description	Values	Default value	Editable
default visibility	imported files (applies, if visibility not defined in the XML)			
Batch Import default meta title	Enter the default meta title of imported files (applies, if meta title not defined in the XML)	custom	-	yes
Batch Import default meta description	Enter the default meta description of imported files (applies, if meta description not defined in the XML)	custom	-	yes
Batch Import default meta keywords	Enter the default meta keywords of the imported files (applies, if meta keywords not defined in the XML)	custom	-	yes
Batch Import default meta author	Enter the default meta author of the imported files (applies, if meta author not defined in the XML)	custom	-	yes
Batch Import default meta copyright	Enter the default meta copyright of the imported files (applies, if meta copyright not defined in the XML)	custom	-	yes

Payment settings (module required)

Setting	Description	Values	Default value	Editable
Payment	Activate global payment functions.	true / false	false	yes
Currency	Currency symbol or abbreviation.	custom	€	yes
Currency Ratio	How much currency is one credit?	custom	1	yes
Single Payment Media	Activate single payment for media.	true / false	false	yes
Single Payment Channels	Activate single payment for channels.	true / false	false	yes
Single Payment Livestreams	Activate single payment for livestreams.	true / false	false	yes
Single Payment Portal	Activate single payment for all portal contents.	true / false	false	yes
Subscription Payment Channels	Activate subscription payment for channels.	true / false	false	yes
Subscription Payment Livestreams	Activate subscription payment for livestreams.	true / false	false	yes
Subscription Payment Portal	Activate subscription payment for all portal contents.	true / false	false	yes
Single Payment Activation Timeframe	Timeframe in hours that users can access a medium after payment.	custom	24	yes
Single Payment Portal Price	The costs for consuming all portal contents for the defined timeframe.	custom	5	yes
Single Payment Credit Account Amounts		custom	5, 10, 30, 50, 100	yes

Setting	Description	Values	Default value	Editable
	Amounts that can be purchased to recharge the users credit account.			
SSL Support	SSL support for certain pages (my purchases, my subscriptions, my sales).	true / false	false	yes
Preview Overlay	Upload a player overlay image to be display while playing a preview video.	custom	-	yes
Preview Video Length	Define the length of the preview videos (in seconds). Will be ignored by transcoder type "Transcoding Service".	custom	30	yes
Preview Audio Length	Define the length of the preview audios (in seconds). Will be ignored by transcoder type "Transcoding Service".	custom	30	yes
Preview Watermark for Images	Upload a watermark that will be converted into the preview image.	custom	-	yes

Payment Paypal settings (module required)

Setting	Description	Values	Default value	Editable
Payment Provider	Internal name of the payment provider.	Paypal	Paypal	no
Payment Provider Activation	Activate this payment provider.	true / false	false	yes
Displayed Name	Name displayed on the portal.	custom	-	yes
Provider Logo	Logo will be displayed on the portal.	custom	-	yes
Seller Account	Your seller account that receives the users' payments.	custom	-	yes
Currency Code	ISO 4217 currency code for Paypal transactions. (EUR Euro, USD US-Dollar, GBP United Kingdom Pound)	custom	EUR	yes
Test Mode	Activate sandbox test mode.	true / false	true	yes

Paypal Notes

Please note that Paypal may not book transactions with foreign currencies automatically. Refer to the Paypal documentation for further information.

Presets settings

Setting	Description	Values	Default value	Editable
Number of displayed last backup files	Number of backup entries for preset recovery	custom	10	yes
Default page on startpage	Select the default startpage text item	select box	-	yes